

Product	TIMBERSILK		
Print Date	07/19/2012	Page	1 (10)

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	TIMBERSILK
MSDS Number	:	300000316429
Product Use Description	:	Fragrance Ingredient
Company		IEE Benicarló, S.I.

Company		IFF Benicario, S.L.
		Avda. Felipe Klein 2
		12580 BENICARLÓ
Telephone	:	+34964470212
Telefax	:	+34964473411
Emergency telephone number	:	+34 964 470 212

### SECTION 2 HAZARDS IDENTIFICATION

#### **Emergency Overview**

OSHA Hazards

: Skin sensitiser Mild skin irritant Mild eye irritant

#### Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	2 (10)

#### Hazardous components

Component	CAS-No.
Ethanone, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)-	68155-66-8, 54464-57-2, 68155-67-9
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-, 2,6-Bis(1,1-dimethylethyl)- 4-methylphenol, 2,6-Di-tert-butyl-4-methylphenol	128-37-0
2H-Indeno[4,5-b] furan, decahydro-2,2,6,6,7,8,8-heptamethyl, Indeno[4,3 a-b] furan, decahydro-2,2,7,7,8,9,9-heptamethyl-	476332-65-7, 647828-16-8

# **SECTION 4. FIRST AID MEASURES**

#### First aid procedures

Inhalation	:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

## SI

ECTION 5.	FIRE-FIGHTING MEASURES	

Flammable properties		
Flash point	:	> 212 °F (> 100 °C)

#### **Fire fighting**

Version **Revision Date** 

: 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	3 (10)

Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate
		foam.

#### Protective equipment and precautions for firefighters

Special protective equipment	:	Wear NIOSH approved self-contained breathing apparatus and
for fire-fighters		full protective clothing when fighting fires involving chemicals.
		Use water spray to cool containers exposed to fire.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self- contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Methods for containment / Methods for cleaning up	:	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

> If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers,

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	4 (10)

		especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.
Requirements for storage areas and containers	:	Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Engineering measures		
		Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material
Personal protective equipment		
Eye protection	:	Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	:	Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	:	Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	5 (10)

worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient: or c)if normal operational workplace vapor concentration in the air is increased due to heat : d)during emergencies; or e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit. Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure. Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	6 (10)

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Physical state Colour	: liquid : pale yellow
Odour	: conforms to standard
Safety data	
Flash point	: > 212 °F (> 100 °C)
Vapour pressure	: < .01 hPa (< 0.01 mmHg) Note: Calculated
Relative density (20 °C)	: 0.9600 - 0.9670

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Remarks: Direct sources of heat.
Chemical stability	: Remarks: Presents no significant reactivity hazard, by itself or

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	7 (10)

in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

Hazardous decomposition	Note: Carbon monoxide and unidentified organic compounds
products	may be formed during combustion.

### SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity (Component)	:	Component: 68155-66-8 LD50 rat Dose: > 5,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity (Component)	:	Component: 68155-66-8 LD50 rat Dose: > 5,000 mg/kg Method: OECD Test Guideline 402
Skin irritation (Component)	:	Component: 68155-66-8 human Result: Skin irritation Method: OECD 439
Eye irritation(Component)	:	Component: 68155-66-8 Result: No eye irritation Method: QSAR
Sensitisation (Component)	:	Component: 68155-66-8 LLNA mouse Result: Causes sensitization. Method: OECD 429
Repeated dose toxicity(Component)	:	Component: 68155-66-8 Oralrat Number of exposures: 1x /day NOEL: 150 mg/kg Method: OECD Test Guideline 407 Remarks: Repeated dose (28 days) toxicity (oral)

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	8 (10)

Teratogenicity (Component) : Component: 68155-66-8 Application Route: Oral rat Number of exposures: 1x /day Method: OECD 414

### SECTION 12. ECOLOGICAL INFORMATION

#### Component:

68155-66-8

ISOCYCLEMO NE E

<u>Toxicity to fish:</u> semi-static test LC50 Species: Lepomis macrochirus (Bluegill sunfish) Dose: 1.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates.: semi-static test EC50 Species: Daphnia magna (Water flea) Dose: 1.38 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 IFF <u>Toxicity to algae:</u> static testEC50 Species: Desmodesmus subspicatus (green algae) Dose: 2.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Toxicity to bacteria: static test NOEC Species: Dose: > 100 mg/l

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	9 (10)

Exposure time: 42 h Method: OECD 301 F

<03EHS\_L\_TEXT(CED-N12.00224460)>

<03EHS L TEXT(CED-H11.00000120)>: semi-static test NOEC Species: Danio rerio (zebra fish) Concentration: .16 mg/l Exposure time: 30 d Method: OECD 210 <03EHS L TEXT(CED-H12.00200010)> <03EHS L TEXT(CED-H12.00200010)> <03EHS L TEXT(CED-H11.00000120)>: NOEC Species: Daphnia magna (Water flea) Concentration: .02 mg/l Exposure time: 21 d Method: OECD 211

### SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

DOT	Not dangerous goods
-----	---------------------

ΙΑΤΑ	UN number Description of the goods	-	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octahydro Tetramethyl Naphthalenyl Ethanone)
	Class	:	9
	Packing group	:	III
	ICAO-Labels	:	9
IMDG	UN number	:	3082

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212



Product	TIMBERSILK		
Print Date	07/19/2012	Page	10 (10)

Description of the goods	<ul> <li>ENVIRONMENTALLY HAZARDOUS</li> <li>SUBSTANCE, LIQUID, N.O.S.</li> <li>(Octahydro Tetramethyl Naphthalenyl Ethanone)</li> </ul>
Class	: 9
Packing group	: 111
IMDG-Labels	: 9
EmSNumber 1	: F-A
EmSNumber 2	: S-F
Marine pollutant	: yes

### SECTION 15. REGULATORY INFORMATION

OSHA Hazards SARA 311/312 Hazards	<ul><li>Skin sensitiser, Mild skin irritant, Mild eye irritant</li><li>Acute Health Hazard</li></ul>
HMIS Classification	: Health hazard: 2 Flammability: 1 Physical and chemical hazards: 0

### SECTION 16. OTHER INFORMATION

#### **Further information**

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 07/19/2012

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telefax: +34964473411