

Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 1 (10)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BICYCLONONALACTONE

IFF Code: 00151245Cust. Material: 00151245SDS Number: R00000003484Product Use Description: Fragrance Ingredient

Company : IFF Benicarló, S.L.

Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone : +34964470212 Telefax : +34964473411 Emergency telephone number : +34 964 470 212

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Serious eye damage, Category 1

GHS-Labelling

Symbol(s) :

Signal word : Danger

Hazard statements : H318: Causes serious eye damage.

Precautionary statements : P280: Wear eye protection/ face protection.

P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON

CENTER/doctor.

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 2 (10)

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS-No. : 4430-31-3

Hazardous components

Component	CAS-No.
2H-1-Benzopyran-2-one, octahydro-	4430-31-3

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation : Remove from exposure site to fresh air and keep at rest. If victim is

unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Skin contact : Remove contaminated clothes. Wash thoroughly with water (and

soap). Contact physician if symptoms persist.

Eye contact : Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist.

Ingestion : Rinse mouth with water and obtain medical advice.

SECTION 5. FIREFIGHTING MEASURES

Flammable properties

Flash point : 235.00 °F (112.78 °C)

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 3 (10)

Fire fighting

Suitable extinguishing media : Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for

firefighters

 Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use

water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained

breathing apparatus is recommended in case of a major spill.

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

Methods for containment /

Methods for cleaning up

: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and

disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good

manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 4 (10)

workplace air. Where chemicals are openly handled, access should be

restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire

and explosion

Keep away from ignition sources and naked flame.

Requirements for storage areas and

containers

Store in a cool, dry, ventilated area away from heat sources. Keep

containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures

Engineering measures : Where feasible, isolate mixing rooms and other areas where this

material is used or openly handled. Maintain these areas under

negative air pressure relative to the rest of the plant.

Where feasible, use closed systems to transfer and process this

material

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hand protection : Avoid skin contact. Use chemically resistant gloves.

Respiratory protection : Use local exhaust ventilation around open tanks and other open

sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to

eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation,

etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 5 (10)

canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or

b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Hygiene measures

: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 6 (10)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid

Appearance : CLEAR LIQUID

Colour : colorless

Odour : conforms to standard

Safety data

Flash point : 235.00 °F (112.78 °C)

Vapour pressure : < .01 hPa (< 0.01 hPa)

Note: Calculated

Relative density (20 °C) : 1.0860 - 1.0930

Partition coefficient: n-octanol/water : log Pow: 2.520

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Direct sources of heat.

Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in

contact with water. Avoid contact with strong acids, alkali or

oxidizing agents.

Hazardous decomposition products : Note: Carbon monoxide and unidentified organic compounds may

be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Acute toxicity estimate

Dose: 3,900 mg/kg

Method: Calculation method

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 7 (10)

Acute oral toxicity (Component) : Component: 4430-31-3

LD50 Rat

Dose: 3,900 mg/kg Remarks: RIFM

Acute dermal toxicity : Acute toxicity estimate

Dose: 3,500 mg/kg

Method: Calculation method

Acute dermal toxicity

(Component)

Component: 4430-31-3

LD50 Rabbit Dose: 3,500 mg/kg

Skin irritation (Component) : Component: 4430-31-3

Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Exposure time: 72 h Remarks: REACH data

Eye irritation(Component) : Component: 4430-31-3

Rabbit

Classification: Causes serious eye damage.

Result: Severe eye irritation Method: OECD Test Guideline 405

Remarks: REACH data

Sensitisation (Component) : Component: 4430-31-3

Direct Peptide Reactivity Assay (DPRA)

Result: negative

Method: OECD Test Guideline 442C

Remarks: REACH data KeratinoSens assay Result: negative

Method: OECD Test Guideline 442D

Remarks: REACH data

Human Cell line Activation Test (hCLAT)

Result: positive

Method: OECD Test Guideline 442E

Remarks: REACH data

maximisation study Guinea pig

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 8 (10)

Result: Not a skin sensitizer. Method: OECD Test Guideline 406

Remarks: REACH data

Repeated dose : Component: 4430-31-3

toxicity(Component) IngestionRat

NOEL: 128 mg/kg

Method: OECD Test Guideline 422

Remarks: REACH data

SECTION 12. ECOLOGICAL INFORMATION

Component:

4430-31-3 BICYCLONON <u>Toxicity to fish:</u>

ALACTONE LC50

Species: Fish Dose: 38 mg/l Exposure time: 96 h The value is calculated

REACH data

Toxicity to daphnia and other aquatic invertebrates:

EC50

Species: Daphnia (water flea)

Dose: 83 mg/l Exposure time: 48 h REACH data

The value is calculated Toxicity to algae:

ErC50

Species: green algae Dose: 38 mg/l Exposure time: 72 h REACH data

The value is calculated <u>Toxicity to algae:</u>

ErC10

Species: green algae Dose: 8.4 mg/l Exposure time: 72 h REACH data

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 9 (10)

The value is calculated

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance

with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

Reportable Quantity :

HMIS Classification : Health hazard: 1

Flammability: 1

Physical and chemical hazards: 0

SECTION 16. OTHER INFORMATION

Further information

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ



Product BICYCLONONALACTONE

Print Date 06/10/2020 Page 10 (10)

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version : 3

Revision Date : 04/13/2020

IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ IFF Benicarló, S.L. Avda. Felipe Klein 2 12580 BENICARLÓ

Telephone: +34964470212 Telefax: +34964473411