

**LAVANDIN OILEN**

Revision date: 25-05-2023  
Version: 4.1/CLP-G/EN

Print Date: 29/05/23  
Page: 1 / 6

**SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING**

**1.1. Identification of the substance/mixture**

**Trade name:** LAVANDIN OILEN  
**Substance name:** LAVANDIN OIL  
**CAS Number:** 91722-69-9  
**CE Number:** 294-470-6  
**REACH Registration number:** On request. REACH and non-REACH material available for this product.

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Raw material for the manufacture of fragrances and/or flavourings.

**1.3. Details of the supplier of the safety data sheet**

**Company:** Ernesto Ventós SA  
**Address:** Carretera Real, 120 B  
08960 Sant Just Desvern – Barcelona – SPAIN  
**Telephone:** (00 34) 934 706 210  
**Fax:** (00 34) 934 733 010  
**E-mail:** info@ventos.com

**1.4. Emergency telephone number**

NCEC (+44) 1865 407333 (24h)  
NCEC (+34) 91 114 2520 (24h) (ES)  
NCEC (+1) 202 464 2554 (24h) (USA, Canada)

**SECTION 2. HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

Serious eye damage - Category 1 - H318  
Skin sensitizer - Category 1B - H317  
Aspiration hazard - Category 1 - H304  
Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412

**2.2. Label Elements**

**Hazard pictograms:**



**Signal Word:**

Danger

**Hazard statements:**

H304 – May be fatal if swallowed and enters airways.  
H317 – May cause an allergic skin reaction.  
H318 – Causes serious eye damage.  
H412 – Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310+P331 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.  
P302+P352+P333+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338+P310 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Supplemental Hazard Information:**

Contains LINALOOL, LINALYL ACETATE, EUCALYPTOL, TERPINEN-4-OL, BETA-CARYOPHYLLENE, LIMONENE, 1-OCTEN-3-YL ACETATE, GERANIOL, COUMARIN. May produce an allergic reaction.

**2.3. Other hazards**

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.  
Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

**LAVANDIN OILEN**

Revision date: 25-05-2023  
Version: 4.1/CLP-G/EN

Print Date: 29/05/23  
Page: 2 / 6

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Chemical name: LAVANDIN OIL  
CAS number: 91722-69-9  
EC number: 294-470-6

**Hazardous constituents:**

| Chemical Name        | % (w/w)  | CAS No.<br>EC No.<br>Index No.                | Classification according to<br>Regulation 1272/2008  | Specific Concentration Limit,<br>M-factor, ATE, SVHC                               |
|----------------------|----------|---|--|--|
| LINALOOL             | ≥25; <50 | 78-70-6<br>201-134-4                          | Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>Skin Sens. 1B - H317  | ATE (oral): 2790 mg/kg   |
| LINALYL ACETATE      | ≥25; <50 | 115-95-7<br>204-116-4                         | Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>Skin Sens. 1 - H317   |  |
| CAMPHOR              | ≥1; <10  | 464-49-3<br>207-355-2                         | Flam. Sol. 2 - H228<br>Acute Tox. 4 (oral) - H302<br>Acute Tox. 4 (inhalation) - H332<br>Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318<br>STOT SE 2 - H371<br>Aquatic Chronic 2 - H411 | ATE (oral): 1500 mg/kg, ATE (inh, dust/mist): 1,5 mg/L                             |
| EUCALYPTOL           | ≥1; <10  | 470-82-6<br>207-431-5                         | Flam. Liq. 3 - H226<br>Eye Irrit. 2 - H319<br>Skin Sens. 1B - H317   | ATE (oral): 2480 mg/kg   |
| TERPINEN-4-OL        | ≥1; <10  | 562-74-3<br>209-235-5                         | Acute Tox. 3 (inhalation) - H331<br>Acute Tox. 4 (oral) - H302<br>Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319<br>Skin Sens. 1 - H317<br>STOT SE 3 (narc.) - H336                   | ATE (oral): 1300 mg/kg, ATE (dermal): 2500 mg/kg, ATE (inhalation, vapour): 3 mg/L |
| BORNEOL              | ≥1; <10  | 507-70-0<br>208-080-0                         | Flam. Sol. 2 - H228<br>Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318<br>Aquatic Chronic 2 - H411   |  |
| BETA-CARYOPHYLLENE   | ≥1; <10  | 87-44-5<br>201-746-1                          | Skin Sens. 1B - H317<br>Asp. Tox. 1 - H304   |  |
| TERPINEOL            | ≥1; <10  | 98-55-5<br>202-680-6                          | Skin Irrit. 2 - H315<br>Eye Irrit. 2 - H319  | ATE (oral): 4300 mg/kg   |
| LIMONENE             | ≥0.1; <1 | 138-86-3<br>205-341-0<br>601-029-00-7(ATP 24) | Flam. Liq. 3 - H226<br>Skin Irrit. 2 - H315<br>Skin Sens. 1B - H317<br>Asp. Tox. 1 - H304<br>Aquatic Acute 1 - H400<br>Aquatic Chronic 3 - H412                                    |  |
| 1-OCTEN-3-YL ACETATE | ≥0.1; <1 | 2442-10-6<br>219-474-7                        | Acute Tox. 4 (oral) - H302<br>Skin Sens. 1B - H317   | ATE (oral): 850 mg/kg  |
| GERANIOL             | ≥0.1; <1 | 106-24-1<br>203-377-1<br>603-241-00-5(ATP15)  | Skin Irrit. 2 - H315<br>Eye Dam. 1 - H318<br>Skin Sens. 1 - H317   | ATE (oral): 3600 mg/kg   |
| COUMARIN             | ≥0.1; <1 | 91-64-5<br>202-086-7                          | Acute Tox. 3 (oral) - H301<br>Skin Sens. 1B - H317   | ATE (oral): 290 mg/kg  |

See the full text of the hazard statements in section 16.

**3.2. Mixtures**

Not applicable.

**LAVANDIN OILEN**

Revision date: 25-05-2023  
Version: 4.1/CLP-G/EN

Print Date: 29/05/23  
Page: 3 / 6

## SECTION 4. FIRST-AID MEASURES

### 4.1. Description of necessary first aid measures

Ingestion: Rinse mouth with water.  
Obtain medical advice.  
Keep at rest. Do not induce vomiting.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.

Inhalation: Remove person to fresh air and keep at rest.  
Seek immediate medical advice.

Skin contact: Take off immediately all contaminated clothing.  
Thoroughly wash affected skin with soap and water.  
Seek medical attention if symptoms persist.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam.  
For safety reasons do not use full water jet.

### 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

### 5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers.  
Avoid inhalation of vapors that are created. Use appropriate respiratory protection.  
Do not allow spillage of fire to be poured into drains or watercourses.  
Wear self-contained breathing apparatus and protective clothing.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surrounding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering.  
Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

### 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

### 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).  
Place in covered containers using non-sparking tools and transport outdoors.  
Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).  
Ventilate area and wash spill site after material pickup is complete.

### 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke.  
Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses.  
Observe the rules of safety and hygiene at work.  
Keep in the original container or an alternative made from a compatible material.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light.  
Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges).  
Keep away from incompatible materials (see section 10).

### 7.3. Specific end use(s)

No information available.

**LAVANDIN OILEN**

Revision date: 25-05-2023

Version: 4.1/CLP-G/EN

Print Date: 29/05/23

Page: 4 / 6

**SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**8.1. Control parameters**

Components with occupational exposure limits:  
None known.

**8.2. Exposure controls**

Appropriate engineering controls: Measures should be taken to prevent materials from being splashed into the body. Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.

Eye/Face protection: Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

Hand Protection: Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.

Body protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Respiratory Protection: In case of insufficient ventilation, use suitable respiratory equipment.

Environmental exposure controls: Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation. In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

|  |  |
|--|--|
| Physical state:  | Liquid                                   |
| Colour:  | Conforms to standard                     |
| Odour:   | Conforms to standard                     |
| Melting point/freezing point:                          | Not determined                           |
| Boiling point or initial boiling point and range (°C): | Not determined                           |
| Flammability:  | Not determined                           |
| Lower and upper explosion limit:                       | Not determined                           |
| Flash point:   | 64 °C                                    |
| Auto-ignition temperature:                             | Not determined                           |
| Decomposition temperature:                             | Not determined                           |
| pH:  | Not determined                           |
| Kinematic viscosity:                                   | Not determined                           |
| Solubility:  | INSOLUBLE IN WATER/SOLUBLE IN ETHANOL    |
| Partition coefficient n-octanol/water (log value):     | Not determined                           |
| Vapour pressure:                                       | Not determined                           |
| Density and/or relative density:                       | 0,885–0,9 g/mL (20°C) / 0,885–0,9 (20°C) |
| Relative vapour density:                               | Not determined                           |
| Particle characteristics:                              | Not determined                           |

**9.2. Other information**

**9.2.1. Information with regard to physical hazard classes:**

No information available.

**9.2.2. Other safety characteristics:**

No information available

**SECTION 10. STABILITY AND REACTIVITY**

**10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**10.3. Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

**10.4. Conditions to Avoid**

Conditions to Avoid: Excessive heat, flame or other ignition sources.

**10.5. Incompatible materials**

Avoid contact with strong acids and bases and oxidizing agents.

**10.6. Hazardous decomposition products**

During combustion may form carbon monoxide and unidentified organic compounds.

**LAVANDIN OILEN**

Revision date: 25-05-2023  
Version: 4.1/CLP-G/EN

Print Date: 29/05/23  
Page: 5 / 6

**SECTION 11. TOXICOLOGICAL INFORMATION**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

|  |   |
|--|---|
| <b>Acute toxicity</b>                    | Based on the data available, the criteria for classification are not met.   |
| <b>Skin corrosion/irritation</b>         | Based on the data available, the criteria for classification are not met.<br>Experimental/calculated data:<br>· Skin irritation : Irritant.<br>The product has not been tested. The indication has been derived from the properties of its individual components. |
| <b>Serious eye damage/irritation</b>     | Causes serious eye damage.<br>Experimental/calculated data:<br>· Eye irritation : Irritant.   |
| <b>Respiratory or skin sensitisation</b> | May cause an allergic skin reaction.  |
| <b>Germ cell mutagenicity</b>            | Based on the data available, the criteria for classification are not met.   |
| <b>Carcinogenicity</b>                   | Based on the data available, the criteria for classification are not met.   |
| <b>Reproductive toxicity</b>             | Based on the data available, the criteria for classification are not met.   |
| <b>STOT-single exposure</b>              | Based on the data available, the criteria for classification are not met.   |
| <b>STOT-repeated exposure</b>            | Based on the data available, the criteria for classification are not met.   |
| <b>Aspiration hazard</b>                 | May be fatal if swallowed and enters airways.   |

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties:**

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

**11.2.2. Other information:**

No information available

**SECTION 12. ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**Assessment:**

Harmful to aquatic life with long lasting effects.

**Experimental/calculated data:**

No information available.

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Soil mobility**

No information available.

**12.5. Results of PBT and vPvB assessment**

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.

**12.6. Endocrine disrupting properties**

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

**12.7. Other adverse effects**

See also sections 6, 7, 13 and 15

Do not allow to get into waste water or waterways.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Dispose of in accordance with national and local environmental regulations.

**LAVANDIN OILEN**

Revision date: 25-05-2023  
Version: 4.1/CLP-G/EN

Print Date: 29/05/23  
Page: 6 / 6

**SECTION 14: TRANSPORT INFORMATION**

|   | ADR/RID/ADN                       | IMDG                              | IATA-ICAO                         |
|---|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>14.1. UN Number</b>                  | Not classified as hazardous goods | Not classified as hazardous goods | Not classified as hazardous goods |
| <b>14.2. UN Proper Shipping Name</b>    | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.3. Transport Hazard Class(es)</b> | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.4. Packing Group</b>              | Not applicable                    | Not applicable                    | Not applicable                    |
| <b>14.5. Environmental hazards</b>      | No                                | No                                | No                                |
| <b>Additional information</b>           |                                   |                                   |                                   |

**14.6 Special precautions for user**

None known

**14.7. Maritime transport in bulk according to IMO instruments**

No information available

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

No information available

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out for the substance or mixture by the supplier

**SECTION 16: OTHER INFORMATION**

**Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:**

H226 – Flammable liquid and vapour.  
H228 – Flammable solid.  
H301 – Toxic if swallowed.  
H302 – Harmful if swallowed.  
H304 – May be fatal if swallowed and enters airways.  
H315 – Causes skin irritation.  
H317 – May cause an allergic skin reaction.  
H318 – Causes serious eye damage.  
H319 – Causes serious eye irritation.  
H320 – Causes eye irritation.  
H331 – Toxic if inhaled.  
H332 – Harmful if inhaled.  
H336 – May cause drowsiness or dizziness.  
H371 – May cause damage to organs.  
H400 – Very toxic to aquatic life.  
H411 – Toxic to aquatic life with long lasting effects.  
H412 – Harmful to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.