

SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH)

CIVET 150 SMP SYNAROME

Revision date Version : 25-09-2014 : 2.0 Print Date: 17-12-2014 Page: 1/ 5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

1.1 Identification of the substance/mixture:

 Trade name :
 CIVET 150 SMP SYNAROME

 CAS Number:
 -

 CE Number:
 -

 REACH Registration number:
 All the ingredients of the mixture have been (pre-)registered or they are exempt from (pre-)registration.

 1.2. Relevant identified uses
 of the substance or mixture and uses advised against

 Raw material for the manufacture of fragrances and/or flavourings.

1.3. Details of the supplier of the safety data sheet

| Manufacturer/Supplier: | Ernesto Ventós, SA | | | | |
|---------------------------------|---|--|--|--|--|
| Address: | Carretera Real, 120 A | | | | |
| | 08960 Sant Just Desvern - Barcelona - SPAIN | | | | |
| Telephone: | (00 34) 934 706 210 | | | | |
| Fax: | (00 34) 934 733 010 | | | | |
| E-mail: | info@ventos.com | | | | |
| 1.4. Emergency telephone number | | | | | |
| | (00 34) 934 706 210 (8:30 – 17:30) | | | | |

2. HAZARDS IDENTIFICATION.

2.1. Classification of the substance or mixture Classification according to directives 67/548/EEC and 1999/45/EC Xi R43-R52/53

May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) 1272/2008 Skin Sens. 1

H317

2.2. Label Elements

Labelling according to directives 67/548/EEC and 1999/45/EC Indications of danger: Xi Irritant

Hazard symbols:



Risk phrases: R43: May cause sensitisation by skin contact. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

- S24: Avoid contact with skin.
- S37: Wear suitable gloves.
- S61: Avoid release to the environment. Refer to special instructions/safety data sheets.

Labelling according to Regulation (EC) 1272/2008



Hazard statements: H317-May cause an allergic skin reaction.

Precautionary statements: P261-Avoid breathing dust/fume/gas/mist/vapours/spray. P272-Contaminated work clothing should not be allowed out of the workplace.

Ernesto Ventós, SA



SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH) CIVET 150 SMP SYNAROME

Revision date Version

: 25-09-2014 : 2.0 Print Date: 17-12-2014 Page: 2/5

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352-IF ON SKIN: Wash with plenty of soap and water.

P333+P313-If skin irritation or rash occurs: Get medical advice/attention.

P363-Wash contaminated clothing before reuse.

P501-Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No Information available

3. COMPOSITION/INFORMATION ON INGREDIENTS.

3.1. Substances

Not applicable

3.2. Mixtures

MIXTURE OF AROMATIC SUBSTANCES Hazardous constituents:

| Chemical name | Content (%) | CE Number | CAS Number | Classification Regulation (EC) 1272/2008 | Hazard statements* | Classification (Directive 67/548/EEC)* |
|----------------------------------|----------------|-----------|---------------|---|-----------------------|---|
| TETRAHYDRO P- METHYLQUINOLINE | ≥1% and <5% | 202-083-0 | 91-61-2 | Acute Tox. 4 | H302;H312 | Xn; R21/22 |
| ALDEHYDE C-16 | ≥1% and <5% | 201-061-8 | 77-83-8 | Aquatic Chronic 2;Skin Sens. 1 | H317;H411 | N,Xi: R43-51/53 |
| ISOBORNYL CYCLOHEXANOL | ≥1% and <5% | 222-294-1 | 3407-42-9 | Aquatic Chronic 3;Eye Irrit. 2;Skin Irrit. 2 | H315;H319;H412 | Xi: R36/38-52/53 |
| 6-METHYLQUINOLINE | ≥1% and <5% | 202-084-6 | 91-62-3 | Acute Tox. 4 | H302 | Xn: R22 |
| NEROLIN YARA-YARA | ≥0,1% y <1% | 202-213-6 | 93-04-9 | Acute Tox. 4 | H302 | N,Xn: R22-51/53 |

(*) See the full text of the hazard statements and risk phrases in section 16.

4. FIRST-AID MEASURES

| 4.1. Description of necessary first aid measures | | | | | | |
|--|---|--|--|--|--|--|
| Consumption: | Rinse mouth with water. | | | | | |
| | Obtain medical advice. | | | | | |
| | Keep at rest. Do not induce vomiting. | | | | | |
| Eye contact.: | In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice. | | | | | |
| | Seek medical advice if irritation persists, or if there was tissue damage. | | | | | |
| Inhalation: | If inhaled, remove person to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. | | | | | |
| | Seek immediate medical advice. | | | | | |
| Skin contact: | Take off immediately all contaminated clothing. | | | | | |
| | Thoroughly wash affected skin with soap and water. | | | | | |
| | Seek medical attention if symptoms persist. | | | | | |

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed No information available.

5. FIRE-FIGHTING MEASURES 5.1. Extinguishing Media Water spray, carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet. Carbon dioxide Water spray 5.2. Special hazards arising from the substance or mixture Known or Anticipated Hazardous Products of Combustion.: Emits toxic fumes under fire conditions. 5.3. Advice for firefighters Other Fire Fighting Considerations: High temperatures can lead to high pressures inside closed containers. Avoid inhalation of vapors that are created. Use appropriate respiratory protection. Do not allow spillage of fire will be poured into drains or watercourses. Special Fire Fighting Procedures:: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.



SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH) CIVET 150 SMP SYNAROME

Revision date Version

: 25-09-2014 : 2.0 Print Date: 17-12-2014 Page: 3/ 5

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Keep people away, evacuate area.

Avoid inhalation of vapors; use an appropriate respirator.

6.2. Environmental precautions

To avoid possible contamination of the environment, Do not discharge into any drains, surface waters or groundwaters.

6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Place in covered containers using non-sparking tools and transport outdoors.

- Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater).
- Ventilate area and wash spill site after material pickup is complete.

Dispose of in accordance with current laws and regulations.

6.4. Reference to other sections

No information available.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Provide suitable air extraction ventilation in the work areas. Vapors may form explosive mixtures with air. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Observe the rules of hygiene and safety at work. Keep only in the original container.

7.2. Conditions for safe storage, including any incompatibilities

| Recommended Packing Material | s: To be stored in tightly sealed and preferably full containers in cool, dry and ventilated area. |
|------------------------------|--|
| | Keep in glass, suitable plastic, aluminum or laquer-lined containers. |
| Storage: | Keep material away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges. |
| - | Protect from heat/overheating and light sources. |
| | Keep away from the sources of ignition. |
| | Keep away from incompatible materials (see section of incompatibility). |
| | Prevent access to unauthorized persons |
| | Do not store this material near food or drinking water. |
| | Don't open containers under pressure. |
| 7.3. Specific end use(s) | |
| Usage Precautions: | Smoking should not be permitted in work areas. |

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1. Control parameters

| ore reuse. |
|---------------------------|
| he <mark>skin.</mark> |
| |
| |
| |
| |
| |
| |
| n appropriate respiratory |
| |
| : |

Liquid

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour theshold pH Melting point/freezing point Boling point/boiling range Flash point Evaporation rate Flammability Lower flammability/Explosive limit Upper flammability/Explosive limit Vapour pressure Vapour Density

Conforms to standard Conforms to standard Not determined Not determined Not determined 111 °C Not determined Not determined Not determined Not determined Not determined Not determined Not determined

Ernesto Ventós, SA



Density Relative density Water solubility Solubility in other solvents Partition coefficient n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity, dynamic Viscosity, kinematic Explosive properties Oxidising properties

9.2. Additional information No information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity

No information available. **10.2. Chemical stability** No information available. **10.3. Possibility of hazardous reactions** No information available. **10.4. Conditions to Avoid** Conditions to Avoid: Excessive heat, flame or other ignition sources. **10.5. Incompatible materials** None Incompatibilities known

10.6. Hazardous decomposition productsDuring combustion may form carbon monoxide and unidentified organic compounds.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects No information available. **12. ECOLOGICAL INFORMATION**

12.1. Toxicity
No information available.

12.2. Degradability
No information available.

12.3. Bioaccumulative potential
No information available.

12.4. Soil mobility
No information available.

12.5. Results of PBT and vPvB assessment
No information available.

12.6. Other adverse effects

See also paragraphs 6, 7, 13 and 15 Do not allow to get into waste water or waterways.

13. DISPOSAL CONSIDERATIONS.

13.1. Waste treatment methods

Disposal conditions: Dispose of in accordance with all federal, state and local environmental regulations.

14. TRANSPORT INFORMATION

14.1. Land Transport (ADR/RID)

Substance / mixture is not classified as hazardous for transport

14.2. Sea Transport (IMDG)

Substance / mixture is not classified as hazardous for transport

14.3. Air Transport (IATA)

Substance / mixture is not classified as hazardous for transport 15. REGULATORY INFORMATION

Ernesto Ventós, SA

Carretera Reial, 120 A • 08960 Sant Just Desvern • (Barcelona) España • T. +34-934 706 210 • F. +34-934 733 010 • E-mail: info@ventos.com • http://www.ventos.com

SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH) CIVET 150 SMP SYNAROME

Revision date Version

: 25-09-2014 : 2.0

Phh

Print Date: 17-12-2014 Page: 4/ 5

0,918-0,948 g/mL (20°C) 0,918-0,948 (20°C) PARTLY SOLUBLE IN WATER; SOLUBLE IN ETHANOL

Not determined Not determined Not determined Not determined Not determined Not determined Not determined



SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH) **CIVET 150 SMP SYNAROME**

Revision date Version

25-09-2014 : 2.0

:

Print Date: 17-12-2014 Page: 5/5

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture No information available. 15.2. Chemical Safety Assessment

No information available.

16. OTHER INFORMATION

Hazard statements

- H302: Harmful if swallowed. H312: Harmful in contact with skin. H315: Causes skin irritation. H317: May cause an allergic skin reaction. Causes serious eye irritation. H319:
- Toxic to aquatic life with long lasting effects. H411:
- Harmful to aquatic life with long lasting effects. H412:

Reason for Change:N/A

Information in this MSDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and our company assumes no liability resulting from the use of this MSDS. The user must determine suitability of this information for his application. The specifications of this safety data sheet describes the safety requirements of our product, this is not a guarantee of characteristics. They are based on current state.