

504909 CLEARWOOD

 Revision Date: 04-14-2015
 Page 1 of 10

 Version # 01
 Print Date: 11-17-2015

1. IDENTIFICATION

Product Description:	CLEARWOOD	
CAS #	84238-39-1	
Other means of identification Vigon Item #	504909	
Recommended use	Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.	
Recommended restrictions	For Manufacturing Use Only	
<u>Company</u>	24 Hour Emergency Response Information	
Vigon International, Inc.	INFOTRAC (ACCT# 78928);	
127 Airport Road	1-800-535-5053 WITHIN THE U.S.A.	
E. Stroudsburg, PA 18301	1-352-323-3500 OUTSIDE THE U.S.A.	
For information call: 570-476-6300		
Web Site: www.vigon.com		

2. HAZARD(S) IDENTIFICATION

Physical hazards	Not classified.	
Health hazards	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2
Label elements		
Signal word	Danger	
Hazard statement		
H304	May be fatal if swallowed and enters airways.	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary statement		
Prevention		
P273	Avoid release to the environment.	
Berner		

P273	Avoid release to the environment.
Response	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P391	Collect spillage.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.



504909 CLEARWOOD

Page 2 of 10 Revision Date: 04-14-2015 Print Date: 11-17-2015 Version # 01 Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None. **3. COMPOSITION/INFORMATION ON INGREDIENTS** Substances Chemical name Common name and synonyms CAS number % CLEARWOOD 84238-39-1 Patchouli Leaf Water 100 patchouli oil replacer 4. FIRST-AID MEASURES Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist. Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes. Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids. Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Most important Aspiration may cause pulmonary edema and pneumonitis. symptoms/effects, acute and delayed Indication of immediate medical Not available. attention and special treatment needed General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.	
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.	
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.	
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.	
Specific methods	Use water spray to cool unopened containers.	
General fire hazards	Static charges generated by emptying package in or near flammable vapor may cause flash fire.	



504909 CLEARWOOD

Revision Date: 04-14-2015 Version # 01 Page 3 of 10 Print Date: 11-17-2015

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.
	The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

7. HANDLING AND STORAGE

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Use explosion-proof ventilation equipment to stay below exposure limits.	
Individual protection measures, suc Eye/face protection	ch as personal protective equipment Wear safety glasses with side shields (or goggles).	
Skin protection Hand protection	Chemical resistant gloves.	
Other	Not available.	



504909 CLEARWOOD

Revision Date: 04-14-2015	Page 4 of 10	
Version # 01	Print Date: 11-17-2015	
Respiratory protection	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	
9. PHYSICAL AND CHEMI	CAL PROPERTIES	
Appearance	Refer to Spec Sheet	
Physical state	Liquid.	
Form	Liquid.	
Color	Refer to Spec Sheet	
Odor	Characteristic.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explo	sive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	< 0.1 mm Hg at 20 °C	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Molecular formula	Not applicable	
Specific gravity	0.96 at 25 °C	



504909 CLEARWOOD

Revision Date: 04-14-2015 Version # 01 Page 5 of 10 Print Date: 11-17-2015

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of e	xposure			
Inhalation	No adverse effects due to inhala	No adverse effects due to inhalation are expected.		
Skin contact	No adverse effects due to skin o	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may ca	Direct contact with eyes may cause temporary irritation.		
Ingestion	Droplets of the product aspirate chemical pneumonia.	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.		
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonar	y edema and pneumonitis.		
Information on toxicological effe	icts			
Acute toxicity	May be fatal if swallowed and e	nters airways.		
Product	Species	Test Results		
CLEARWOOD (CAS 84238-39-	·1)			
Acuto				

Acute			
Dermal			
LD50	Unspecified	> 5000 mg/kg bw	Limit test
Oral			
LD50	Unspecified	> 5000 mg/kg bw	Limit test

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Skin irritation (in vivo) (EU Method B4) Not irritating	
Serious eye damage/eye irritation	Eye irritation (in vitro) (OECD 437) Not an ocular corrosive or severe irritant Eye irritation (in vivo) (Similar to OECD 405) Not irritating	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	Sensitisation - human (HRIPT) Not a skin sensitizer (2%)	
Germ cell mutagenicity	In vitro gene mutation study in bacteria - Ames test (OECD 471) Not mutagenic In vitro cytogenicity study in mammalian cell (OECD 473) Not clastogenic In vitro genotoxicity in mammalian cell (OECD 476) Not mutagenic	



504909 CLEARWOOD

Revision Date: 04-14-2015			Page 6 of 10			
Version # 01	Print Date: 11-17-2015		Print Date: 11-17-2015			
	ed Substances	(29 CFR 1910.1001-1050)				
Not listed.	Toxicity to	reproduction corponing (OECD 421)	100E1 - 277 mg/kg bw/dow			
Reproductive toxicity Specific target organ toxicity -	-	Toxicity to reproduction - screening (OECD 421) NOAEL = 277 mg/kg bw/day				
single exposure	NOT CIASSI	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified.					
Aspiration hazard	May be fatal if swallowed and enters airways.					
Chronic effects	Repeated	Repeated dose toxicity (28 days) (OECD 407) NOAEL = 977 mg/kg bw/day				
12. ECOLOGICAL INFOR	RMATION					
Ecotoxicity	Toxic to aquatic life with long lasting effects.					
Product		Species	Test Results			
CLEARWOOD (CAS 84238	3-39-1)					
Aquatic						
Algae	ErC50	Algae	73 mg/l, 72 hours Short-term toxicity			
Crustacea	LL50	Invertebrates (Invertebrates)	21 mg/l, 48 hours Short-term toxicity			
Fish	LL50	Fish	5.7 mg/l, 96 hours Growth inhibition study			
* Estimates for product may	y be based on	additional component data not shown.				
Persistence and degradability	Ready biodegradation (OECD 301F) Readily biodegradable					
Bioaccumulative potential	No data a	No data available.				
Mobility in soil	No data a	No data available.				
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.					
13. DISPOSAL CONSIDE	RATIONS					
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.					
Local disposal regulations	Dispose in accordance with all applicable regulations.					
Hazardous waste code	Not estab	Not established.				
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).					

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.



504909 CLEARWOOD

Revision Date: 04-14-2015 Version # 01

Page 7 of 10 Print Date: 11-17-2015


14. TRANSPORT INFORMATION

ADN	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD)
Transport hazard class(es)	9
Subsidiary class(es)	
Packing group	III
Environmental hazards	Yes
Labels required	9
ADR	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9
RID	
UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	Yes
Labels required	9
DOT	
BULK	
UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD)
Hazard class	9
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Packaging exceptions	155
Packaging bulk	241
Labels required	9
DOT	
NON-BULK	
Not regulated as dangerous g	goods.
ΙΑΤΑ	
Not regulated as dangerous of	poods.
IMDG	,
UN number	3082
UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLEARWOOD)
	9
Transport hazard class(es)	3



504909 CLEARWOOD

Revision Date: 04-14-2015 Version # 01 Page 8 of 10 Print Date: 11-17-2015





Marine pollutant



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. SARA 304 Emergency release notification Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.



504909 CLEARWOOD

Revision Date: 04-14-2015 Version # 01

Europe

Japan

Page 9 of 10 Print Date: 11-17-2015

No

No

Superfund Amendments and Reauthorization Act of 1986 (SARA) Hazard categories Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) US state regulations US. Massachusetts RTK - Substance List Not regulated. US. New Jersey Worker and Community Right-to-Know Act Not listed. US. Pennsylvania Worker and Community Right-to-Know Law Not listed. US. Rhode Island RTK Not regulated. US. California Proposition 65 US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance Not listed. International Inventories Country(s) or region Inventory name On inventory (yes/no)* Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of Existing Commercial Chemical Yes Substances (EINECS)

European List of Notified Chemical Substances (ELINCS)

Inventory of Existing and New Chemical Substances (ENCS)



504909 CLEARWOOD

Revision Date: 04-14-2015	Page 10 of 10
Version # 01	Print Date: 11-17-2015

Country(s) or region Korea	Inventory name Existing Chemicals List (ECL)	On inventory (yes/no)* No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	11-17-2015
Revision date	04-14-2015
Version #	01
HMIS® ratings	Health: 1* Flammability: 1 Physical hazard: 0
Disclaimer	Vigon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.