

1587201

BIOLANDES

Reviewed on: 27/04/17 Printing date: 27/04/2017

%

10,01-20,00 (Contd. on page 2)

	Printing date: 27/04/
01 Identification	
1.1 Product identifier	
 Trade name: FIR BALSAM ABSOLUTE Article number: F1418 CAS Number: 8021-28-1 EINECS Number: 285-364-0 	
1.2 Relevant identified uses of the substance or mixtuApplication of the substance / the preparation Perfume ingredient	re and uses advised against
1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: BIOLANDES TEL: +33(0)5.58.51.00.00 Route de Bélis email: fds@biolandes.com 40420 LE SEN FRANCE	
1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59	
02 Hazard(s) identification	
02 Hazard(s) identification 2.1 Classification of the substance or mixture GHS07	
2.1 Classification of the substance or mixture	
 2.1 Classification of the substance or mixture GHS07 Skin Sens. 1 - H317 May cause an allergic skin reaction. 2.2 Label elements GHS label elements Hazard pictograms 	
 2.1 Classification of the substance or mixture GHS07 Skin Sens. 1 - H317 May cause an allergic skin reaction. 2.2 Label elements GHS label elements 	

03 Composition/information on ingredients

3.1 Chemical characterization: SubstancesCAS No.Description8021-28-1Abies balsamea extr.

- J21-28-1 Abies balsamea ex
- Identification number(s) EINECS Number:
- EINECS NUME 285-364-0
- Dangerous components:

CAS Number 80-56-8

pin-2(3)-ene (alpha pinene)

- USA -



1587201

Reviewed on: 27/04/17 Printing date: 27/04/2017

	PRODUCT :	FIR BALSAM ABSOLUTE	
			(Contd. of page 1)
*		EINECS Number: 201-291-9	
	475-20-7	longifolene	0,10-1,00
*		EINECS Number: 207-491-2	
	89-83-8	thymol	0,10-1,00
*		EINECS Number: 201-944-8	

04 First-aid measures

- General information: Seek immediate medical advice.
- After inhalation:
 - Supply fresh air and to be sure call for a doctor. After skin contact: If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly. • After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.

05 Fire-fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- Protective equipment: Do not inhale explosion gases or combustion gases.
 Additional information
 - Cool endangered receptacles with water spray.

06 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources
- 6.3 Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.

6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

07 Handling and storage

- Handling:
- 7.1 Precautions for safe handling
 - Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
 - Handle with care. Avoid jolting, friction and impact.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location. Prevent any seenage into the ground

Prevent any seepage into the ground.

,



1587201

*

BIOLANDES

Reviewed on: 27/04/17 Printing date: 27/04/2017

	(Contd. of page
 Further information about st Store in cool, dry conditions in w Protect from heat and direct sunl Store receptacle in a well ventila 	vell sealed receptacles.
7.3 Specific end use(s) No further relevant information	n available.
08 Exposure controls/persona	al protection
 Components with limit value Not required. 	s that require monitoring at the workplace:
 CAS No. Designation Not required. Additional information: The lists that were valid during t Personal protective equipme General protective and hygic 	int:
 Protection of hands: Protecti the product/ the substance/ material can be given for the glove material on considerat Material of gloves The selection of the suitable glov varies from manufacturer to mar Penetration time of glove material 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a hufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glove varies from manufacturer to mar Penetration time of glove materiation time of glove material observed. Eye protection: Safety glasse 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a nufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be es
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glove varies from manufacturer to mar Penetration time of glove materiation time of glove material. Eye protection: Safety glasse 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a nufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be es
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glove waries from manufacturer to many Penetration time of glove materiates through time ha observed. Eye protection: Safety glasse 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a nufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be es
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glow varies from manufacturer to manufacturer to manufacture to the exact break through time har observed. Eye protection: Safety glasse 09 Physical and chemical proping 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a nufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be es
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glow varies from manufacturer to man Penetration time of glove materiation time of glove material. Eye protection: Safety glasse 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a sto be found out by the manufacturer of the protective gloves and has to be es perties
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glove varies from manufacturer to mar Penetration time of glove materiation time of glove materiates Eye protection: Safety glasse 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a ufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be es perties
 Avoid contact with the skin. Breathing equipment: Use still Protection of hands: Protecting the product/ the substance/material can be given for the glove material on considerate Material of gloves The selection of the suitable glove waries from manufacturer to mar Penetration time of glove materiation time of glove material on glove material on glove materiation time of glove materiation time of glove materiation time of glove materiation. Eye protection: Safety glasse D9 Physical and chemical programmers: Form: Color: 	nd contaminated clothing. uitable respiratory protective device in case of insufficient ventilation ive gloves The glove material has to be impermeable and resistant to the preparation. Due to missing tests no recommendation to the glo e product/ the preparation/ the chemical mixture. Selection of the cion of the penetration times, rates of diffusion and the degradation ves does not only depend on the material, but also on further marks of quality a hufacturer. aterial is to be found out by the manufacturer of the protective gloves and has to be es perties pasty green-brown

Flash point:	> 100 °C NFT 60-103 CC
Flammability (solid, gaseous):	Undetermined.
Auto igniting:	Undetermined.
Danger of explosion:	Undetermined.
Vapor pressure:	Not determined.
Density:	Not determined.
Solubility in / Miscibility with	
Water:	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Other information	No further relevant information available.
USA	

(Contd. on page 4)



1587201

Reviewed on: 27/04/17 Printing date: 27/04/2017

PRODUCT : FIR E	BALSAM ABSOLUTE	
		(Contd. of page 3
10 Stability and rea	ctivity	
	osition / conditions to be avoided:	
Undetermined.		
 Incompatible ma 		
No further relevant	information available.	
	nposition products:	
Undetermined.		
1 Toxicological info	ormation	
 Acute toxicity: LD/LC50 values t 	that are relevant for classification:	
		ISO LD/LC
89-83-8	thymol	
 Oral, LD50: 980 mg Primary irritant e 		
• on the skin:		
No irritant effect.on the eye:		
No irritating effect.		
 Sensitization: 	ble through skin contact.	
 Subacute to chro 		
Undetermined.Additional toxicol	logical information.	
Carcinogenic cate		
• IARC (Internation Substance is	nal Agency for Research on Cancer) not listed.	
NTP (National To		
Substance is	not listed.	
12 Ecological inform	nation	
	lation	
 Aquatic toxicity: No further relevant 	information available.	
 Persistence and on Not determined. 	degradability	
 Behavior in envir 	ronmental systems:	
Not determined.		
Bioaccumulative		
 No further relevant Ecotoxical effects 	information available. s:	
Not determined.		
 Additional ecolog General notes: 	Jical Information:	
Do not allow produ	ict to reach ground water, water course or se	wage system.
Very toxic for aquat Danger to drinking	tic organisms water if even extremely small quantities lea	k into the ground.
	mful to the environment.	-
13 Disposal conside	erations	
Waste treatment		
 Recommendation Must be specially tr 	n: reated adhering to official regulations.	
	cated adhering to onicial regulations.	



1587201

Reviewed on: 27/04/17 Printing date: 27/04/2017

PRODUCT : FIR BALSAM AE	
14 Transport information	(Contd. of page 4,
UN-Number	
DOT	UN3077
ADR	UN3077
IMDG	UN3077
ΙΑΤΑ	UN3077
 UN proper shipping name 	
DOT	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.
ADR	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ABIES BALSAMEA EXTR.)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ABIES
1212	BALSAMEA EXTR.)
• Transport hazard class(es)	
DOT	
Class	9 Miscellaneous dangerous substances and articles
Label	9
ADR	\vee V
Class	9 (M7) Miscellaneous dangerous substances and articles
Label	
Label	
	ALL AR
	$\langle 1 1 1 \rangle \langle 1 \rangle$
IMDG	
Class	9 Miscellaneous dangerous substances and articles
Label	9
ΙΑΤΑ	\vee V
Class	9 Miscellaneous dangerous substances and articles
Label	9
	$\langle \downarrow \downarrow \downarrow \rangle \langle \downarrow \downarrow \downarrow \rangle$
 Packing group 	
DOT	III
ADR	III
IMDG	
ΙΑΤΑ	III
 Environmental hazards: 	
 Environmental nazards: Marine pollutant: 	Yes



1587201

Reviewed on: 27/04/17 Printing date: 27/04/2017

		(Contd. of page 5)
	Warning: Miscellaneous dang	erous substances and articles 90
	Danger code (Kemler):	
	EMS Number:	F-A,S-F
	 Transport in bulk according Not applicable. 	ig to Annex II of MARPOL73/78 and the IBC Code
	 Transport/Additional infor Not applicable. DOT 	mation:
	Quantity limitations IMDG	On passenger aircraft/rail: No limit On cargo aircraft only: No limit
	Limited quantities (LQ)	5 kg
	Excepted quantities (EQ)	E1
	UN "Model Regulation": UN 3077 ENVIRONMENTALLY	HAZARDOUS SUBSTANCES, SOLID, N.O.S., 9, III
[15 Regulatory information	nmental regulations/legislation specific for the substance or mixture
	Non-mandatory	
[16 Other information	
	information in this sheet must be to be considered a warranty or q areas thereof. The information of	ta sheet is based on the state of our knowledge at the date indicated. The e regarded as a description of the safety requirements for the product, they are not uality specification and have no contractual value on properties and application contained in this safety data sheet relate to the specific material designated and may product associated with another product or process, unless it is specified in the text

- Relevant phrases
 - H226 Flammable liquid and vapor.
 - H302 Harmful if swallowed.
 - H304 May be fatal if swallowed and enters airways.
 - H314 Causes severe skin burns and eye damage.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H401 Toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
 - Training hints

*

*

*

*

.

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Date of preparation / last revision
- 27.04.2017

• Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent (Contd. on page 7)





1587201

*

Reviewed on: 27/04/17 Printing date: 27/04/2017

(Contd. of page 6)

PRODUCT : FIR BALSAM ABSOLUTE

LD50: Lethal dose, 50 percent

- Sources IFRA/IOFI Labelling Manual,REACH registration dossier,supplier information
- * Data compared to the previous version altered.