

# SAFETY DATA SHEET

2012 OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200)

Revision Number 7 Revision date 14-Nov-2022 Issuing Date 14-Nov-2022

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Code 00140759

Product Name Rum Type Jamaica CO2 Extract

**CAS No** 943609-24-3

Recommended use of the chemical and restrictions on use

**Recommended use**Aromatic Ingredient(s). For Industrial Use Only. **Restrictions on use**Do not ingest as such. Avoid eye contact.

Details of the supplier of the safety data sheet

<u>Supplier</u>

Robertet, Inc.

400 International Drive Mount Olive, NJ 07828 USA

TEL: 201-337-7100

E-mail: reginc@robertetusa.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300 (24 hrs)

Outside of the USA and Canada (703) 527-3887. Collect calls accepted

# 2. HAZARDS IDENTIFICATION

# Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

#### Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

Signal word

Danger

# Hazard statements

Causes skin irritation
Causes serious eye damage
May cause respiratory irritation

May cause drowsiness or dizziness Highly flammable liquid and vapor



Appearance Yellow to dark brown

Physical state Liquid

Odor Characteristic

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating / lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

In case of fire: Use CO2, dry chemical, or foam to extinguish

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

No information available.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%	GHS Classification
Ethyl acetate	141-78-6	30 - 40	Flam. Liq. 2 (H225)
			Eye Irrit. 2A (H319)
			STOT SE 3 (H336)
Isoamyl alcohol	123-51-3	20 - 30	Flam. Liq. 3 (H226)
			Acute Tox. Oral 5 (H303)
			Acute Tox. Dermal 5 (H313)
			Skin Irrit. 2 (H315)
			Eye Dam. 1 (H318)
			STOT SE 3 (H335)
Ethyl alcohol	64-17-5	5.0 - 10	Flam. Liq. 2 (H225)
			Eye Irrit. 2A (H319)
Isobutyl alcohol	78-83-1	1.0 - 5.0	Flam. Liq. 3 (H226)
			Skin Irrit. 2 (H315)
			Eye Dam. 1 (H318)

			STOT SE 3 (H335) STOT SE 3 (H336)
Ethyl propionate	105-37-3	1.0 - 5.0	STOT SE 3 (H335) Skin Irrit. 2 (H315) Flam. Liq. 2 (H225) Eye Irrit. 2B (H320) Aquatic Acute 2 (H401)
Eugenol	97-53-0	< 0.1	Acute Tox. Oral 5 (H303) Skin Irrit. 3 (H316) Eye Irrit. 2A (H319) Skin Sens. 1B (H317) Aquatic Acute 2 (H401)

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

•

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid

contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Large Fire Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Skin contact

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Ye

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

 $gear. \ Use \ personal \ protection \ equipment.$ 

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

# Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation,

wear suitable respiratory equipment.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep away from open

flames, hot surfaces and sources of ignition.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Limits**The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl acetate	TWA: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
141-78-6		TWA: 1400 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 1400 mg/m <sup>3</sup>
		(vacated) TWA: 1400 mg/m <sup>3</sup>	
Isoamyl alcohol	STEL: 125 ppm	TWA: 100 ppm	IDLH: 500 ppm
123-51-3	TWA: 100 ppm	TWA: 360 mg/m <sup>3</sup>	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 360 mg/m <sup>3</sup>
		(vacated) TWA: 360 mg/m <sup>3</sup>	STEL: 125 ppm
		(vacated) STEL: 125 ppm	STEL: 450 mg/m <sup>3</sup>
		(vacated) STEL: 450 mg/m <sup>3</sup>	-
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	-
Isobutyl alcohol	TWA: 50 ppm	TWA: 100 ppm	IDLH: 1600 ppm
78-83-1		TWA: 300 mg/m <sup>3</sup>	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 150 mg/m <sup>3</sup>
		(vacated) TWA: 150 mg/m <sup>3</sup>	-

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Yellow to dark brown Odor Characteristic

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Melting point / freezing point

Boiling point / boiling range > 35 °C No information available

00140759 - Rum Type Jamaica CO2 Extract

Revision date 14-Nov-2022

Flash point <= 5 °C / <= 41 °F CC (closed cup)

Evaporation rate

No information available
Flammability (solid, gas)

No information available

Vapor Pressure (mm Hg @ 20°C):

Vapor density

Relative density

No information available
No information available
No information available

**Specific Gravity @ 20/20 °C** 0.8740-0.8940 RTM-101

Solubility(ies)

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Viscosity

No information available

Other information

**Explosive properties**No information available **Oxidizing properties**No information available

# 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

**Incompatible materials** Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information .

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. May cause drowsiness or dizziness.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes. (based on components).

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation. (based

on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

**Acute toxicity** 

**Numerical measures of toxicity** 

Revision date 14-Nov-2022

\_\_\_\_\_

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** > 5000 mg/kg **ATEmix (dermal)** > 5000 mg/kg

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical name	ACGIH	IARC	NTP
Ethyl alcohol	A3	Group 1	Known
64-17-5			

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

.

# Persistence and degradability

No information available.

#### Bioaccumulation

There is no data for this product.

#### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.

# 14. TRANSPORT INFORMATION

DOT

**UN/ID no** 1197

Proper shipping name Extracts, flavoring, liquid

Hazard class 3 Packing group II

IATA/ICAO

Revision date 14-Nov-2022

**UN/ID no** 1197

Proper shipping name Extracts, flavoring, liquid

Hazard class 3
Packing group II

IMDG/IMO

UN number 1197

UN proper shipping name Extracts, flavoring, liquid

Transport hazard class(es) 3
Packing group II
EmS-No F-E, S-D

# 15. REGULATORY INFORMATION

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

# 16. OTHER INFORMATION

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**