SAFETY DATA SHEET



1. Identification

Product identifier METHYL DIHYDRO JASMONATE EXTRA EPI (CIS)

Other means of identification

BRI Product Code 398E **FEMA** number 3408

CEPIONATE * Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester * Hedione * Methyl **Synonyms**

3-oxo-2-pentylcyclopentaneacetate

Recommended use flavors and fragrances

For Manufacturing Use Only

Not for use in Tobacco or Nicotine delivery device applications and/or products. **Recommended restrictions**

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bedoukian Research Company name **Address** 21 Finance Drive Danbury, CT 06810

United States

Telephone 1-203-830-4000 Website www.bedoukian.com

customerservice@bedoukian.com E-mail

Contact person Joseph Bania

Emergency phone number Chemtrec (North America) 1-800-424-9300

Chemtrec (International) 1-703-527-3887

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Not classified. **OSHA** defined hazards

Label elements

None. Hazard symbol Signal word None.

Harmful to aquatic life. **Hazard statement**

Precautionary statement

Prevention Avoid release to the environment. Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Substances

Material name: METHYL DIHYDRO JASMONATE EXTRA EPI (CIS) SDS US

Chemical name	Common name and synonyms	CAS number	%	
METHYL DIHYDRO JASMON EXTRA EPI (CIS)	ATE CEPIONATE Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester Hedione Methyl 3-oxo-2-pentylcyclopentaneacetate	24851-98-7	100	
Stabilizers				
Chemical name		CAS number	%	
butylated hydroxytoluene (bht)		128-37-0	0.04	
*Designates that a specific chemi	cal identity and/or percentage of composition has be	en withheld as a trade s	secret.	
Composition comments	Occupational Exposure Limits for stabilizers are li	Occupational Exposure Limits for stabilizers are listed in Section 8.		
4. First-aid measures				
Inhalation	Move to fresh air. Call a physician if symptoms de	ove to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attent	ash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irritation	develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms of	occur.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irri	tation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.			
General information	Ensure that medical personnel are aware of the medical protect themselves.	naterial(s) involved, and	take precautions	
5. Fire-fighting measures				

5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Environmental precautions

Precautions for safe handling Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Recommended Packaging: Glass, Plastic, Aluminum or Phenolic Lined Steel. Store tightly sealed under inert gas below 0 deg. C

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Form Stabilizers Type Value butylated hydroxytoluene TWA 2 mg/m3 Inhalable fraction and (bht) vapor. (CAS 128-37-0)

US. NIOSH: Pocket Guide to Chemical Hazards

Stabilizers Value **Type** butylated hydroxytoluene TWA 10 mg/m3 (bht)

(CAS 128-37-0)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove **Hand protection**

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Color Colorless

Odor powerful floral, jasmine flower character

Odor threshold Not available Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

588.78 °F (309.32 °C) US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

Windows, v 4.11. US EPA, Washington, DC, USA.

230 °F (110 °C) Pensky-Martens or Grabner Miniflash Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

range

Flammability limit - upper Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

0.000713 mmHg at 20°C; US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Vapor pressure

Windows, v 4.11. US EPA, Washington, DC, USA.

Vapor density 7.8 Relative to air; air = 1

Relative density Not available.

Solubility(ies)

Not available. Solubility (water)

2.98 US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. US Partition coefficient

EPA, Washington, DC, USA. (n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

0.997 - 1.004 g/cm3 Density

Flammability class Combustible IIIB estimated

Molecular formula C13H22O3 Molecular weight 226.32

0.997 - 1.004 at 25°C Specific gravity

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. No adverse effects due to skin contact are expected. Skin contact Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Test Results Product Species

METHYL DIHYDRO JASMONATE EXTRA EPI (CIS) (CAS 24851-98-7)

Acute **Dermal** Liquid

LD50 Rabbit > 5000 mg/kg

Oral Liquid

LD50 Rat > 5000 mg/kg **Stabilizers Species Test Results**

butylated hydroxytoluene (bht) (CAS 128-37-0)

Acute Oral

LD50

10700 mg/kg Guinea pig Mouse 1040 mg/kg

Material name: METHYL DIHYDRO JASMONATE EXTRA EPI (CIS)

398E Version #: 01 Issue date: 05-26-2015

Stabilizers Species Test Results

* Estimates for product may be based on additional component data not shown.

Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Irritation Corrosion - Skin

METHYL DIHYDRO JASMONATE EXTRA EPI (CIS) 100 % OECD 404

Result: Not irritating. Species: Rabbit Organ: Skin Notes: ECHA

20 % Patch test, Vehicle Petrolatum.

890 mg/kg

Result: No irritation observed.

Species: Human Organ: Skin Notes: RIFM

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

METHYL DIHYDRO JASMONATE EXTRA EPI (CIS) 20 % Patch test, Vehicle Petrolatum.

Result: Not sensitizing. Species: Human Organ: Skin Notes: RIFM

6.25 % OECD 406, Vehicle paraffin oil. Intradermal injection

at 6.25%. Challenge at 50% and 100%.

Result: Not sensitizing. Species: Guinea pig Organ: Skin Notes: ECHA

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Germ cell mutagenicity: Ames test

METHYL DIHYDRO JASMONATE EXTRA EPI (CIS) 100 - 5000 μg/plate, Strains TA 98, TA 100, TA 1535, and TA

1537 with and without metabolic activation. Vehicle DMSO.

Result: Not mutagenic.

Species: Salmonella typhimurium

Notes: RIFM

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

butylated hydroxytoluene (bht) (CAS 128-37-0)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

398E Version #: 01 Issue date: 05-26-2015 5 /

Stabilizers Species Test Results

butylated hydroxytoluene (bht) (CAS 128-37-0)

Aquatic

Crustacea EC50 Water flea (Daphnia pulex) 1.44 mg/l, 48 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

METHYL DIHYDRO JASMONATE EXTRA EPI (CIS) 2.98, US EPA. 2014. Estimation Programs Interface Suite™

for Microsoft® Windows, v 4.11. US EPA, Washington, DC,

USA.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: METHYL DIHYDRO JASMONATE EXTRA EPI (CIS)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

butylated hydroxytoluene (bht) (CAS 128-37-0)

US. New Jersey Worker and Community Right-to-Know Act

butylated hydroxytoluene (bht) (CAS 128-37-0)

US. Pennsylvania Worker and Community Right-to-Know Law

butylated hydroxytoluene (bht) (CAS 128-37-0)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 05-26-2015

Version #

Disclaimer BRI cannot anticipate all conditions under which this information and its product, or the products of

other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written

based on the best knowledge and experience currently available.

Material name: METHYL DIHYDRO JASMONATE EXTRA EPI (CIS)

398E Version #: 01 Issue date: 05-26-2015