

504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 1 of 11

Version # 04 Print Date: 12-15-2021

1. IDENTIFICATION

Product Description: OAKWOOD CO2 EXTRACT

CAS # 97676-30-7

Other means of identification

Vigon Item # 504466

Recommended use Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance

compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Vigon International, LLC INFOTRAC (ACCT# 78928);

For information call: 570-476-6300

FOI IIIIOIIIIalioii Caii. 570-476-6300

Web Site: www.vigon.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Vigon International, LLC

Address 127 Airport Road

E. Stroudsburg, PA 18301

United States

Telephone For information call: 570-476-6300

Website www.vigon.com

E-mail regulatory@vigon.com

Emergency phone number INFOTRAC (ACCT# 78928);

1-800-535-5053 WITHIN THE U.S.A. 1-352-323-3500 OUTSIDE THE U.S.A.

2. HAZARD(S) IDENTIFICATION

Physical hazards Flammable liquids Category 3

Health hazards Not classified.

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Flammable liquid and vapor.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 2 of 11

Version # 04 Print Date: 12-15-2021

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Keep cool. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action

to prevent static discharges.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 100% of the substance consists of component(s) of unknown acute oral toxicity. 100% of the

substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance

consists of component(s) of unknown acute inhalation toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Chemical name	Common name and synonyms	CAS number	<u></u>
OAKWOOD EXTRACT	quercus robur I. bark extract	97676-30-7	1 - 2
Additional components			
Chemical name	Common name and synonyms	CAS number	%
ETHYL ALCOHOL	ethanol ethyl hydroxide 1-hydroxyethane methyl carbinol	64-17-5	30 - 40

4. FIRST-AID MEASURES

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or

persist

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if

Direct contact with eyes may cause temporary irritation.

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment

needed

Not available.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 3 of 11

Print Date: 12-15-2021 Version # 04

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment

and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

Fire fighting

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and equipment/instructions consider the hazards of other involved materials. Move containers from fire area if you can do so

without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Specific methods

Use water spray to cool unopened containers.

General fire hazards

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Large Spills: Dike the spilled material, where this is possible. Collect and dispose of spillage as indicated in section 13 of the SDS.

Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains.

Small Spills: Clean surface thoroughly to remove residual contamination. Wipe up with absorbent material (e.g. cloth, fleece).

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 4 of 11

Print Date: 12-15-2021 Version # 04

7. HANDLING AND STORAGE

Precautions for safe handling Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary

> measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities Keep container closed. Handle containers with care. Open slowly in order to control possible

pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Additional components	Туре	Value	
ETHYL ALCOHOL (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Values			
Additional components	Туре	Value	
ETHYL ALCOHOL (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Chemica	l Hazards		
Additional common auto	T a	Value	

US. NIUSH: POCKET	Guide t	to Chemicai	mazaros

Additional components	Туре	Value
ETHYL ALCOHOL (CAS 64-17-5)	TWA	1900 mg/m3

1000 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Use explosion-proof ventilation equipment to stay below exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Not available. Other

Respiratory protection Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must

be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.



504466 OAKWOOD CO2 EXTRACT

Page 5 of 11 Revision Date: 12-15-2021

Print Date: 12-15-2021 Version # 04

Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic. Odor threshold Not available. Not available. Нα Not available. Melting point/freezing point 179.6 °F (82 °C) Initial boiling point and boiling

range

81.0 °F (27.2 °C) Closed Cup Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Not available. Partition coefficient

(n-octanol/water)

Not available. Auto-ignition temperature Not available. **Decomposition temperature** Viscosity Not available.

Other information

Density 0.95 g/ml at 20 °C **Explosive properties** Not explosive. Molecular formula Not applicable Oxidizing properties Not oxidizing. 0.95 at 25 °C Specific gravity

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 6 of 11

Version # 04 Print Date: 12-15-2021

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Toxicological data

Additional components Species Test Results

ETHYL ALCOHOL (CAS 64-17-5)

Acute Dermal

LD50 Rabbit > 15800 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 7 of 11

Version # 04 Print Date: 12-15-2021

12. ECOLOGICAL INFORMATION

Ecotoxicity Chemical Oxygen Demand (COD) 1700 mg/g

literature

related to substance: Ethanol

Biochemical Oxygen Demand (BOD): 1000 mg/g

Concentration: (BOD5)

literature

related to substance: Ethanol

Persistence and degradability Biodegradability Readily biodegradable.

literature

related to substance: Ethanol

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

UN number 1170

UN proper shipping name ETHYL ALCOHOL SOLUTION

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 3

ADR

UN number 1170

UN proper shipping name ETHYL ALCOHOL SOLUTION

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 8 of 11

Version # 04 Print Date: 12-15-2021

Labels required 3

RID

UN number 1170

UN proper shipping name ETHYL ALCOHOL SOLUTION

Transport hazard class(es) 3
Subsidiary class(es) Packing Group III
Environmental Hazards No
Labels required 3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT BULK

UN number 1170

Proper shipping name ETHYL ALCOHOL SOLUTION

Hazard class 3
Packing group III

Environmental hazards

Marine pollutant No Labels required 3

DOT

NON-BULK

UN number 1170

Proper shipping name ETHYL ALCOHOL SOLUTION

Hazard class 3
Packing group III

Environmental hazards

Marine pollutant No Labels required 3

IATA

UN number 1170

UN proper shipping name ETHYL ALCOHOL SOLUTION

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 3

IMDG

UN number 1170

UN proper shipping name ETHYL ALCOHOL SOLUTION

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards

Marine pollutant No



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 9 of 11

Version # 04 Print Date: 12-15-2021

Labels required

Transport in bulk according

Not applicable.

to Annex II of MARPOL 73/78 and the IBC Code

ADN; ADR; DOT BULK; DOT NON-BULK; IATA; IMDG; RID



15. REGULATORY INFORMATION

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Flammable (gases, aerosols, liquids, or solids)

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 10 of 11

Version # 04 Print Date: 12-15-2021

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHYL ALCOHOL (CAS 64-17-5) Low priority

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 11-21-2015

 Revision date
 12-15-2021

Version # 04

HMIS® ratings Health: 1

Flammability: 3 Physical hazard: 0

List of abbreviations ACGIH: American Conference of Governmental Industrial Hygienists.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AICIS: Australian Inventory of Industrial Chemicals.

CAS: Chemical Abstract Service.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TWA: Time Weighted Average.



504466 OAKWOOD CO2 EXTRACT

Revision Date: 12-15-2021 Page 11 of 11

Version # 04 Print Date: 12-15-2021

Disclaimer

Vigon International, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Vigon International, Inc. has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.