SAFETY DATA SHEET

BEDOUKIAN

1. Identification

Product identifier cis-3-HEXENYL TIGLATE

Other means of identification

BRI Product Code 116

67883-79-8 **CAS** number

FEMA number 3931

Synonyms (Z)-3-hexenyl 2-methylcrotonate * 2-Butenoic acid, 2-methyl-, (3Z)-3-hexenyl ester, (2E)- *

C-3-HEXENYL TIGLATE * Z-3-Hexenyl tiglate

flavors and fragrances Recommended use

For Manufacturing Use Only

BRI's Products are not for use in tobacco products, e cigarettes, or any other nicotine delivery **Recommended restrictions**

devices; nor for use in non-tobacco delivery mechanisms such as vaping devices.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Bedoukian Research Inc (BRI) Company name

6 Commerce Drive **Address**

Danbury, CT 06810

United States

Telephone 1-203-830-4000 Website www.bedoukian.com

customerservice@bedoukian.com E-mail

Contact person Joseph Bania

Emergency phone number Chemtrec (North America) 1-800-424-9300

Chemtrec (International) +1-703-527-3887

2. Hazard(s) identification

Not classified. Physical hazards Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements

None. **Hazard symbol** None. Signal word

The substance does not meet the criteria for classification. **Hazard statement**

Precautionary statement

Observe good industrial hygiene practices. Prevention

Wash hands after handling. Response

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 100% of the mixture consists of component(s) of unknown acute inhalation toxicity. 100% of the

> mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Substances

Material name: cis-3-HEXENYL TIGLATE

116 Version #: 06 Revision date: 11-September-2024 Issue date: 21-May-2015

Chemical name	Common name and synonyms	CAS number	%
cis-3-HEXENYL TIGLATE	(Z)-3-hexenyl 2-methylcrotonate 2-Butenoic acid, 2-methyl-, (3Z)-3-hexenyl ester, (2E)- C-3-HEXENYL TIGLATE Z-3-Hexenyl tiglate	67883-79-8	100
Stabilizers			
Chemical name	Common name and synonyms	CAS number	%
synthetic alpha tocopherol		10191-41-0	0.1
*Designates that a specific chemic	al identity and/or percentage of composition ha	s been withheld as a trade secr	et.
Composition comments	Occupational Exposure Limits for stabilizers a	re listed in Section 8.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.		
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Recommended Packaging: Glass, Plastic, Aluminum or Phenolic Lined Steel. Store tightly sealed under inert gas in a cool, well-ventilated area.

Material name: cis-3-HEXENYL TIGLATE

8. Exposure controls/personal protection

Occupational exposure limits This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Select suitable chemical resistant protective gloves

(EN 374) with a protective index 6 (>480min permeation time).

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Color Colorless

Odor fresh, green, floral, fruity odor.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

range

Windows, v 4.11. US EPA, Washington, DC, USA.

Flash point 210 °F (99 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure

0.04 mmHg at 20°C; US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

456.75 °F (235.97 °C) US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

Windows, v 4.11. US EPA, Washington, DC, USA.

Vapor density 6.3 Relative to air; air = 1

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient 3.93 US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. US

(n-octanol/water) EPA, Washington, DC, USA.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 0.910 - 0.918 g/cm3 **Explosive properties** Not explosive. Flammability class Combustible IIIB estimated

C11H18O2 Molecular formula Molecular weight 182.27

Oxidizing properties Not oxidizing.

Specific gravity 0.91 - 0.918 at 25°C

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Conditions to avoid

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

No adverse effects due to inhalation are expected. Inhalation Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Not known. Acute toxicity

Product Species Test Results

cis-3-HEXENYL TIGLATE (CAS 67883-79-8)

Acute **Dermal** Liquid

LD50 Rabbit > 5000 mg/kg

Oral Liquid

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Irritation Corrosion - Skin

12 % Patch test, Vehicle Petrolatum. cis-3-HEXENYL TIGLATE

Result: No irritation observed.

Species: Human Organ: Skin Notes: RIFM

5000 mg/kg LD50, Irritation evaluated on day 1 of an LD50 study, 10 animals evaluated. Moderate erythema in 10;

moderate edema in 10. Result: Irritation noted. Species: Rabbit Organ: Skin

Notes: RIFM

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Material name: cis-3-HEXENYL TIGLATE

^{*} Estimates for product may be based on additional component data not shown.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

cis-3-HEXENYL TIGLATE 12 % Patch test, Vehicle Petrolatum.

Result: Not sensitizing. Species: Human Organ: Skin Notes: RIFM

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Germ cell mutagenicity: Ames test

cis-3-HEXENYL TIGLATE < 5000 µg/plate Plate incorporation, Strains TA 1535, TA

1537, TA 98, and TA 100 with and without metabolic activation. Result for similar material Hexyl tiglate.

Result: Not mutagenic.

Species: Salmonella typhimurium

Notes: RIFM

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability The product is readily biodegradable.

Biodegradability

Percent degradation (Aerobic biodegradation-ready)

cis-3-HEXENYL TIGLATE 30 mg/l OECD 301F

Result: Readily biodegradable.

Species: Activated sludge of a predominantly domestic

sewage

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

cis-3-HEXENYL TIGLATE 3.93, US EPA. 2014. Estimation Programs Interface Suite™

for Microsoft® Windows, v 4.11. US EPA, Washington, DC,

USA.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes

Material name: cis-3-HEXENYL TIGLATE

SDS US

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Taiwan Toxic Chemical Substances (TCS) Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

16. Other information, including date of preparation or last revision

Issue date 21-May-2015

Revision date 11-September-2024

Version # 06

DisclaimerBedoukian Research Inc (BRI) cannot anticipate all conditions under which this information and its

product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Identification: Recommended restrictions

Material name: cis-3-HEXENYL TIGLATE