

This Safety Data Sheet cancels and replaces all preceding SDS for this product.

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

990257

VELOUTONE®
© Firmenich product

CAS No: 65443-14-3 EC No: 265-779-3

REACH No: 01-2120121429-60

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance ingredient for use in consumer products.

Not for personal use in this form or concentration.

Intended to be used in the manufacture of products for consumers

1.3 Details of the supplier of the safety data sheet

John Carey

Firmenich Inc. 250 Plainsboro Road Princeton - New Jersey 08536 - USA john.carey@firmenich.com Tel.:+1.609.452.1000

1.4 Emergency telephone number

FOR INFORMATION OR IN AN EMERGENCY CALL NCEC @ +1 215 207 0061.

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to Regulation HCS 2012

Flammable Liquid - Cat. 4 Environmental Hazard (chronic) - Cat. 2 H227 H411

Additional information

Full text of listed statements: See section 16

2.2 Label elements

Hazard pictograms:

Revised on : 10 May 2020 / v 9.2

Reference : US 18176617 Date of printing : 11-OCT-2020

Product: 990257 - VELOUTONE®

Page 1 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.



Signal Word:

Warning

Hazard Statements:

H227 Combustible liquid

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use appropriate fire extinguishers for fire control.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No data available at this time.

3 COMPOSITION/INFORMATION ON INGREDIENTS

The exact percentage (concentration) of composition has been withheld as a trade secret.

3.1 Substance

Chemical substance.

Contains:

Reference: US

>= 99.0 <= 100.0%

Cyclopentanone, 2,2,5-Trimethyl-5-Pentyl-

N° CAS: 0065443-14-3 N° EINECS: 265-779-3

N° REACH: 01-2120121429-60

GHS Classification:

Environmental Hazard (chronic) - Cat. 2 [H411]

Flammable Liquid - Cat. 4 [H227]

4 FIRST-AID MEASURES

4.1 Description of first aid measures

18176617

General information:

As in all cases of potential poisoning, Obtain medical advice immediately.

Revised on: 10 May 2020 / v 9.2 Date of printing: 11-OCT-2020 Product: 990257 - VELOUTONE®

2 / 10 Page



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

In case of eye contact:

In the event of contact with the eyes, irrigate with water for at least 15 minutes; obtain medical advice if irritation persists.

In case of inhalation:

In the event of exposure to vapors, immediately remove from the area to a fresh air environment.

In case of skin contact:

Remove contaminated clothes. Wash skin with large volumes of water.

If irritation persists, or any sign of tissue damage is apparent, obtain medical advice immediately.

In case of ingestion:

In the event of accidental ingestion, rinse mouth with water. Give up to one tumbler (half pint) of milk or water.

Obtain medical advise immediately.

Do not induce vomiting, obtain medical advise immediately.

4.2 Most important symptoms and effects, both acute and delayed

No specific data available.

4.3 Indication of immediate medical attention and special treatment needed

No specific data available.

5 FIRE-FIGHTING MEASURES

5.1 Extinguishing media

In the event of fire, adequate extinguishers should be used. Avoid inhalation of smoke and fumes. In case of insufficient ventilation, wear suitable respiratory equipment.

Use standard procedures and preferred extinguishing media as stated below.

Extinguishing media: Foam, carbon dioxide or dry chemical.

5.2 Special hazard arising from the substance or mixture

None.

Reference: US

5.3 Advice for fire-fighters

No specific advice.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Impervious gloves should be worn when handling spillages. No smoking. Avoid naked flames or other potential sources of ignition (eg. electrical equipment).

Avoid skin contamination and inhalation of vapour.

Individual washing routines should be followed after any potential contact.

Ensure adequate ventilation in working areas following accidental releases.

For emergency personnel:

18176617

Apply the same recommendations as section 6.1

Revised on: 10 May 2020 / v 9.2
Date of printing: 11-OCT-2020
Product: 990257 - VELOUTONE®

Page 3 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

6.2 Environmental precautions

Do not discharge directly into drains, air, into soil or into the aquatic environment.

6.3 Methods and material for containment and cleaning up

For containment:

Small spills can be wiped up with a cloth or paper. Standard absorbents can be used (saw dust, sand, vermiculite). Wear rubber gloves. Avoid contact with skin. If skin contact occurs, wash liberally with soap and water.

For cleaning-up:

Spillages should be disposed of in accordance with Governmental Regulations.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Wear impervious gloves protection and eye/face protection.

No smoking. Avoid any sources of ignition.

Avoid exposing to high temperature during processing.

Do not ingest or apply to the skin as such. Good personal washing routines should be followed.

Maintain adequate local and general ventilation where product is handled.

Protective measures

Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.

Advice on general occupational hygiene

Good personal washing routines should be followed.

7.2 Conditions for safe storage, including any incompatibilities

It is good general practice to store in closed, preferably full, containers away from heat sources, and protected from extremes of temperature. Do not re-use the empty container.

Respect generals rules for compatibility storage.

7.3 Specific end use(s)

Not available at this time.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Reference: US

Contains no substances with occupational exposure limit values

Derived No Effect Level (DNEL)

18176617

Hazard conclusion Worker (dermal), No hazard identified.

Hazard conclusion Worker (inhalation), No hazard identified.

Hazard conclusion Consumer (oral), No hazard identified.

Hazard conclusion Consumer (inhalation), No hazard identified.

Hazard conclusion Consumer (dermal), No hazard identified.

Revised on: 10 May 2020 / v 9.2 Date of printing: 11-OCT-2020 Product: 990257 - VELOUTONE®

4 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Predicted No Effect Concentration (PNEC)

PNEC Agua (freshwater) = 13 µg/l

PNEC Aqua (marine water) = 0.13 µg/l

PNEC Water (intermittent release) = $13 \mu g/l$

PNEC Sediment (freshwater) = 0.798 mg/kg sediment dw

PNEC Sediment (marine water) = 0.08 mg/kg sediment dw

PNEC STP = 100 mg/l

PNEC Soil = 0.159 mg/kg soil dw

PNEC Air No hazard identified.

PNEC Oral (secondary poisoning) = 45.5 mg/kg food

8.2 Exposure controls

Avoid exposing to high temperature during processing.

Maintain adequate local and general ventilation where product is handled.

Appropriate engineering controls

Maintain adequate local and general ventilation where product is handled and dispensed.

Environmental exposure controls

Not available at this time. Minimize release to the environment.

Personal protection

Respiratory protection: None required; avoid breathing vapors.

Hand protection: Adequate and Impervious Protective Gloves should be worn.

Eye protection: Adequate safety glasses should be used.

Skin protection: Wear protective clothing, overall if necessary to limit the odour contamination of personal

clothing. Individual washing routines should be followed after any potential contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: LIQUID

Colour: COLOURLESS TO VERY PALE YELLOW

Characteristic strong odour according to the commercial description of the substance.

pH: Not available

Melting point/range (°C): < -20 °C (OECD 102)

Initial boiling point/range (°C): = 231 °C at 97.0kPa (OECD 103) Flash point (closed cup): = 194 Fahrenheit (= 90 Centigrade)

Evaporation rate : Not available Flammability (solid/gas) : Not applicable

Explosive properties (St class):

Vapor pressure (At 20°C in mm Hg):

Vapour density:

N/A

< 0.1 mm

Not available

Relative density (d 20/20) : = 0.867 at 20°C (OECD 109) Water solubility (20°C) : = 18.9 mg/l at 20°C (OECD 105)

Revised on : 10 May 2020 / v 9.2

Reference : US 18176617 Date of printing : 11-OCT-2020

Product : 990257 - VELOUTONE®

Page 5 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Partition coef. (n-octanol/water): Log Kow = 4.7 (OECD 107)

Auto-ignition temperature (°C): Data on analogue - = 280 °C at 999.1 - 1011.2hPa

(Method A15)

Decomposition temperature : Not available Viscosity : Not available Explosive properties : Not available Oxidizing properties : Not available Not available

9.2 Other safety information

None

10 STABILITY AND REACTIVITY

10.1 Reactivity

No reaction known with water.

10.2 Chemical stability

Presents no significant reactivity hazard. Normally stable even at elevated temperatures and pressures. Avoid temperatures above or near to the flash point. Not pyrophoric nor reactive with water. Does not undergo explosive decomposition, is shock stable, and is not an oxygen donor. Does not form explosive mixtures with other organic materials. Will not undergo hazardous exothermic polymerization.

10.3 Possibility of hazardous reactions

Not known.

10.4 Conditions to avoid

Avoid temperatures above or at least 5 °C below flash point for any flammable liquids.

Do not heat closed containers.

Avoid contact with oxidizing agents.

10.5 Incompatible materials

Avoid strong oxidizing agents.

10.6 Hazardous decomposition products

Contact with water or storage under recommended conditions for one year should not produce dangerous decomposition products.

11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

18176617

(a) acute toxicity

Acute oral toxicity (Rat, Gavage): LD50 > 6834 mg/kg

Acute dermal toxicity (Rabbit): LD50 > 2000 mg/kg (Conclusion of the Weight of Evidence based on

2 studies)

Reference: US

(b) skin corrosion/irritation

Revised on: 10 May 2020 / v 9.2 Date of printing: 11-OCT-2020 Product: 990257 - VELOUTONE®

Page 6 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Primary Skin irritation (Rabbit, OECD 404, Semi-occlusive): Irritant

(c) serious eye damage/irritation

Acute Eye irritation (Rabbit, OECD 405): Non irritant

(d) respiratory or skin sensitisation

Skin sensitization: Non-sensitising to skin (Conclusion of the Weight of Evidence based on 2 QSAR studies and a read across study)

(e) germ cell mutagenicity

Bacterial Reverse Mutation test (Ames) (Salmonella + E. Coli, OECD 471, With and without S9, 5

strains): Non mutagenic

Data on analogue - In vitro mammalian cell gene mutation test (Mouse, L5178Y cells, OECD 476,

With and without S9): Non mutagenic

Data on analogue - In vitro Mammalian Chromosome Aberration Test (Human, OECD 473): No chromosomal aberration

(f) carcinogenicity

No data available

(g) reproductive toxicity

Combined Repeat. Dose Tox. & Reprod./Develop. Tox. Screening (Rat, OECD 422, Dietary, 28 day(s)):

NOAEL = 693.5 mg/kg/day

NOAEL (development) = 693.5 mg/kg/day

NOAEL (fertility) = 693.5 mg/kg/day

(h) STOT-single exposure

No data available

(i) STOT-repeated exposure

No data available

(j) aspiration hazard

No data available

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Alga, Growth Inhibition Test (Pseudokirchneriella subcapitata, OECD 201, Static):

72 ErC50 > 3.4 mg/l (Based on measured concentration)

72 ErC10 = 1.7 mg/l (Based on measured concentration)

Daphnia sp. Acute Immobilisation Test and Reproduction Test (OECD 202, Static): 48 EC50 = 2.9

Fish, Acute Toxicity Test: LC50 = 1.3 - 5.45 mg/l (Conclusion of the Weight of Evidence based on 1 study and 1 QSAR study)

Page 7 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

Activated Sludge, Respiration Inhibition Test (OECD 209): 3 EC50 > 1000 mg/l (Based on loading rate concentration)

12.2 Persistence and degradability

Biodegradation assessment (Sludge): Non readily biodegradable (Conclusion of the Weight of

Evidence based on 1 study and 1 QSAR study)

Hydrolysis as a Function of pH: - Stable

12.3 Bioaccumulative potential

Bioconcentration, Flow-through Fish Test (OECD 305): BCF = 43 - 883 L/kg (Conclusion of the

Weight of Evidence based on 2 studies and 2 QSAR studies)

Log Kow = 4.7 (OECD 107)

12.4 Mobility in soil

Adsorption coefficient (OECD 121): Log Koc = 3.78

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Other adverse effects

No data available

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product: The product should be handled according to the instructions given under sections 6, 7 and 8. Dispose of according to local or national regulations. The product should not be allowed to enter drains or the environment.

Contaminated packaging: Empty packaging should be disposed according to local or national regulations by an approved waste handling

14 TRANSPORT INFORMATION

In case of accidental spillage or fire during transport, refer to instructions given under points 5, 6, 7 and 8 above.

UNO

Reference: US

UN-No: 3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (TRIMETHYL-PENTYL-

CYCLOPENTANONE)

Class: 9
Packing Group: III

18176617

Hazardous to the Environment

Land transport (ADR/RID)

Revised on: 10 May 2020 / v 9.2 Date of printing: 11-OCT-2020 Product: 990257 - VELOUTONE®

Page 8 / 10



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

UN-No: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(TRIMETHYL-PENTYL-CYCLOPENTANONE)

Class: 9 Ш Packing group:

Sea transport (IMDG-Code)

UN-No: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(TRIMETHYL-PENTYL-CYCLOPENTANONE)

Class: Ш Packing group:

Marine pollutant

Air transport (ICAO-IATA)

UN-No: 3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s. (TRIMETHYL-PENTYL-

CYCLOPENTANONE)

9 Ш Packing group:

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

This chemical is NOT subject to reporting requirements of Section 313 of Title III of the Superfund Amendements and Reauthorization Act of 1986 and 29 CFR Part 1910.1200.

15.2 Chemical Safety Assessment

No data available at this time.

16 OTHER INFORMATION

Revisions

Reference: US

Jun-2020: Version 9.2 - Updates to sections 1, 2, 3, 8, 9, 11, 12, 14, 15, 16

Key literature references

RIFM database **OECD SIDS**

EU IUCLID

Supplier information

Full text of phrases used under section 2

18176617

Revised on: 10 May 2020 / v 9.2 Date of printing: 11-OCT-2020 Product: 990257 - VELOUTONE®

9 / 10

Page



This Safety Data Sheet cancels and replaces all preceding SDS for this product.

H227 Combustible liquid

H411 Toxic to aquatic life with long lasting effects.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P370+P378 In case of fire: Use appropriate fire extinguishers for fire control.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

Full text of phrases used under section 3

H227 Combustible liquid

H411 Toxic to aquatic life with long lasting effects.

We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and the conditions of use of the product are not within the control of Firmenich, it is the user's obligation to determine conditions of safe use of the product.

Information contained in this document and related material is proprietary to Firmenich. Disclosure to third parties without the prior written consent of Firmenich except where required by applicable laws and regulations and/or reverse engineering are strictly prohibited.

> Revised on: 10 May 2020 / v 9.2 Date of printing: 11-OCT-2020

Product: 990257 - VELOUTONE®

18176617 Reference: US Page

10 / 10