# SAFETY DATA SHEET



1. Identification

**Product identifier HEXYL TIGLATE** 

Other means of identification

**BRI Product Code** 427

**Synonyms** 2-Butenoic acid, 2-methyl-, hexyl ester, (2E)- \* Hexyl (2E)-2-methylbut-2-enoate

Recommended use fragrance

For Manufacturing Use Only

Not for use in Tobacco or Nicotine delivery device applications and/or products. Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Bedoukian Research **Address** 21 Finance Drive Danbury, CT 06810

**United States** 

1-203-830-4000 Telephone Website www.bedoukian.com

E-mail customerservice@bedoukian.com

**Contact person** Joseph Bania

**Emergency phone number** Chemtrec (North America) 1-800-424-9300 1-703-527-3887 Chemtrec (International)

## 2. Hazard(s) identification

Not classified. Physical hazards Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

Hazard statement The substance does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Wash hands after handling. Response

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

## **Substances**

Chemical name	Common name and synonyms	CAS number	%
HEXYL TIGLATE	2-Butenoic acid, 2-methyl-, hexyl ester, (2E)-Hexyl (2E)-2-methylbut-2-enoate	16930-96-4	100
Stabilizers			
Chemical name		CAS number	%
synthetic alpha tocopherol		10191-41-0	0.1
Designates that a apositic shamis	al identity and/or percentage of composition has been	n withhold as a trade as	vorot

Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: HEXYL TIGLATE SDS US 427 Version #: 01 Issue date: 05-17-2015

Composition comments Occupational Exposure Limits for stabilizers are listed in Section 8.

4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation

Indication of immediate medical attention and special

Treat symptomatically.

treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

**Environmental precautions** 

7. Handling and storage

Observe good industrial hygiene practices.

Precautions for safe handling Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Recommended Packaging: Glass, Plastic, Aluminum or Phenolic Lined Steel. Store tightly sealed under inert gas in a cool, well-ventilated area.

8. Exposure controls/personal protection

Occupational exposure limits No

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Material name: HEXYL TIGLATE SDS US

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Other Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. Color Colorless

Odor fresh, green fruity odor.

Odor threshold Not available. Not available. pН Melting point/freezing point Not available.

Initial boiling point and boiling

446.58 °F (230.32 °C) US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

Windows, v 4.11. US EPA, Washington, DC, USA.

208 °F (98 °C) Pensky-Martens or Grabner Miniflash Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

range

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure 0.05 mmHg at 20°C; US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft®

Windows, v 4.11. US EPA, Washington, DC, USA.

6.4 Relative to air; air = 1 Vapor density

Not available. Relative density

Solubility(ies)

Solubility (water) Not available.

4.14 US EPA. 2014. Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. US **Partition coefficient** 

EPA, Washington, DC, USA. (n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

0.891 - 0.897 g/cm3 Density

Combustible IIIB estimated Flammability class

Molecular formula C11H20O2 184.28 Molecular weight

Specific gravity 0.891 - 0.897 at 25°C

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

Material name: HEXYL TIGLATE

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents. **Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. No adverse effects due to skin contact are expected. Skin contact Eve contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** 

**Product Test Results Species** 

**HEXYL TIGLATE (CAS 16930-96-4)** 

**Acute** Dermal Liquid

LD50 Rabbit > 5000 mg/kg

Oral Liquid

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Irritation Corrosion - Skin

**HEXYL TIGLATE** 12 % Patch test, Vehicle Petrolatum.

Result: Not irritating. Species: Human Organ: Skin Notes: RIFM

5000 mg/kg LD50, Irritation evaluated on day 1 of an LD50 study, 10 animals evaluated. Slight redness in 1, moderate redness in 9; slight edema in 3, moderate edema in 7.

Result: Irritation noted. Species: Rabbit Organ: Skin

Notes: RIFM

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

**HEXYL TIGLATE** 0.25 % Patch test. Vehicle SDA 39C.

Result: Not sensitizing. Species: Human Organ: Skin Notes: RIFM

12 % Patch test, Vehicle Petrolatum.

Result: Not sensitizing. Species: Human Organ: Skin

Notes: RIFM

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic

Material name: HEXYL TIGLATE

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Germ cell mutagenicity: Ames test

HEXYL TIGLATE

< 5000 µg/plate Plate incorporation, Strains TA 1535, TA 1537, TA 98, and TA 100 with and without metabolic

activation.

Result: Not mutagenic.

Species: Salmonella typhimurium

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

HEXYL TIGLATE 4.14, US EPA. 2014. Estimation Programs Interface Suite™

for Microsoft® Windows, v 4.11. US EPA, Washington, DC,

USA.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910,1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Material name: HEXYL TIGLATE SDS US

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories** 

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US** state regulations

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

#### US. Massachusetts RTK - Substance List

Not regulated.

## US. New Jersey Worker and Community Right-to-Know Act

Not listed.

### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### US. Rhode Island RTK

Not regulated.

### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Material name: HEXYL TIGLATE

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

## 16. Other information, including date of preparation or last revision

**Issue date** 05-17-2015

Version # 01

country(s).

**Disclaimer** BRI cannot anticipate all conditions under which this information and its product, or the products of

other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written

based on the best knowledge and experience currently available.

Material name: HEXYL TIGLATE SDS US

427 Version #: 01 Issue date: 05-17-2015