

Product

BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP)

Print Date

06/10/2020

Page 1 (9)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Product name IFF Code Cust. Material SDS Number Product Use Description | : 307 : 307 : 300 | NZOIN OLIFFAC 63 DEPR 0612 (W/O DEP) 74812 74812 000324344 grance Compound |
|---|-------------------------|--|
| Company | | Inc. Highway 36 let NJ 07730 |
| Telephone Telefax Emergency telephone number | : (732 | 2) 264-4500 2) 335-2551 300 424 9300 |

SECTION 2 HAZARDS IDENTIFICATION

GHS-Classification

Flammable liquids, Category 3, Skin irritation, Category 2, Serious eye damage, Category 1, Specific target organ toxicity - repeated exposure, Category 1, Inhalation, Lungs

GHS-Labelling

| Symbol(s) | |
|---|---|
| Signal word | : Danger |
| Hazard statements | H226: Flammable liquid and vapour. H315: Causes skin irritation. H318: Causes serious eye damage. H372: Causes damage to organs (/\$/*_ORG_REP_INHA/\$/) through |
| Version | : 1 |
| Revision Date | : 06/10/2020 |
| IFF Inc. 600 Highway 36 Hazlet NJ 07730 | IFF Inc. 600 Highway 36 Hazlet NJ 07730 |

Telephone: +17322644500

Telefax: +17323352551



BENZOIN OLIFFAC 63 DEPR 0612 Product (W/O DEP) Print Date 06/10/2020 Page 2 (9) prolonged or repeated exposure if inhaled. Precautionary statements P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P240: Ground/bond container and receiving equipment. P260: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280: Wear protective gloves/ eye protection/ face protection. P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P314: Get medical advice/ attention if you feel unwell. P403 + P235: Store in a well-ventilated place. Keep cool.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by IFF to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation

: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Version Revision Date : 1 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551

IFF Inc.

600 Highway 36



| Product | BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP) | | |
|--------------|--|------------|--|
| Print Date | 06/10/2020 F | Page 3 (9) | |
| Skin contact | : Remove contaminated clothes. Wash thoroughly with wa soap). Contact physician if symptoms persist. | iter (and | |
| Eye contact | : Flush immediately with water for at least 15 minutes. Co physician if symptoms persist. | ntact | |
| Ingestion | : Rinse mouth with water and obtain medical advice. | | |

SECTION 5. FIREFIGHTING MEASURES

| Flammable properties | | |
|---|---|--|
| Flash point | : | 82.40 °F (28.00 °C) |
| | | |
| Fire fighting | | |
| Suitable extinguishing media | : | Use water spray, dry chemical, carbon dioxide or appropriate foam. |
| | | |
| Protective equipment and precautions for firefighters | | |

| Special protective equipment for firefighters | : | Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use |
|---|---|--|
| | | water spray to cool containers exposed to fire. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions | : | Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill. |
|--|---|--|
| Environmental precautions | : | Keep away from drains, surface- and groundwater and soil. |
| Methods for containment / Methods for cleaning up | : | Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and |
| Version Revision Date | | : 1 : 06/10/2020 |

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telefax: +17323352551



BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP)

Print Date

Product

06/10/2020

Page 4 (9)

disposed of according to the local regulations.

SECTION 7. HANDLING AND STORAGE

| Handling | : | Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use. |
|---|---|--|
| | | If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air. |
| Advice on protection against fire and explosion | : | Keep away from ignition sources and naked flame. |
| Requirements for storage areas and containers | : | Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | Listed by | Value type | Exposure limit(s) |
|-----------------|--|--|--------------------------|
| 1,2-Propanediol | USA. Workplace Environmental Exposure Levels (WEEL) | 8-hr TWA | 10 mg/m3 |
| Ethanol | USA. ACGIH Threshold Limit Values (TLV) | Short-term exposure limit | 1,000 ppm |
| Ethanol | USA. NIOSH Recommended Exposure Limits | Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek | 1,000 ppm 1,900 mg/m3 |
| Version | : 1 | | |

Version Revision Date

: 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product

SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP)

| Print Date | 06/10/2020 | | Page 5 (9) |
|---|---|---|---|
| Ethanol | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants | 8-hour time weighted average | 1,000 ppm 1,900 mg/m3 |
| Ethanol | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 | 8-hour time weighted average | 1,000 ppm 1,900 mg/m3 |
| Ethanol | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | Permissible exposure limit | 1,000 ppm 1,900 mg/m3 |
| Engineering measure | s | | |
| Engineering measures | material is used on negative air press | solate mixing rooms and other area or openly handled. Maintain these a sure relative to the rest of the plant. use closed systems to transfer and p | reas under |
| Personal protective e | quipment | | |
| Eye protection | : Use tight-fitting g shields if eye con | goggles, face shield or safety glasse tact might occur. | s with side |
| Hand protection | : Avoid skin conta | ct. Use chemically resistant gloves. | |
| Respiratory protection | sources of potent including places In addition, use g eliminate or redu No respiratory pr | t ventilation around open tanks and ial exposures in order to avoid exce where this material is openly weigh eneral dilution ventilation of the we ce possible worker exposures. otection is required during normal of engineering controls such as adequa. | essive inhalation, ed or measured. ork area to operations in a |
| | approved, proper | ntrols and safe work practices are n ly fitted respirator with organic vap ticulate filters should be used: | |
| | | ing controls and appropriate safe we s are being implemented; or | ork practices |
| Version Revision Date | : 1 : 06/10/2020 | | |
| IFF Inc. 600 Highway 36 Hazlet NJ 07730 | | IFF Inc. 600 Highway 36 Hazlet NJ 07730 | |

Telefax: +17323352551

Telephone: +17322644500



| Product | BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP) | | |
|---------------------|--|---|---|
| Print Date | 06/10/2020 | Page | 6 (9) |
| | b)during short term maintenance procedures when enground controls are not in normal operation or are not sufficienely operational operational workplace vapor concentration increased due to heat; d)during emergencies; or e)if engineering controls and operational practices are to reduce airborne concentrations below an established exposure limit. | nt; or n in the ai not suffi | ir is cient |
| Hygiene measures | To the extent deemed appropriate, implement pre-plac regularly scheduled ascertainment of symptoms and sp testing of lung function for workers who are regularly this material. To the extent deemed appropriate, use an experienced expert to identify and measure volatile chemicals that present in the workplace air to determine potential exp ensure the continuing effectiveness of engineering con operational practices to minimize exposure. | pirometry exposed air samp could be posures a | to ling nd to |
| Protective measures | In December 2003, the National Institute for Occupation and Health ("NIOSH") published an Alert on preventing disease in workers who use or make flavorings [NIOS Number 2004-110]. In August 2004, the United States Flavor and Extract I Association (FEMA) issued a report entitled "Respirat the Flavor Manufacturing Workplace". Both of these reports provide recommendations for rece employee exposure and for medical surveillance in the The recommendations in these reports are generally ap use of any chemical in the workplace and you are stron review both of these reports. The report published by FEMA also contains a list of ' chemicals. If any of these chemicals are present in this concentration >= 1.0% due to an intentional addition b chemical(s) will be identified in this safety data sheet. | ng lung H Public Manufac tory Safe ducing e workpla pplicable ngly urge "high pri- s product py IFF, th | ation turers ty in ace. to the ed to ority" at a |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Version Revision Date : 1 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730



| Product | BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP) | | |
|---|---|------|-------|
| Print Date | 06/10/2020 | Page | 7 (9) |
| Physical state Appearance Colour Odour | liquid CLEAR LIQUID brown conforms to standard | | |
| Safety data | | | |
| Flash point | : 82.40 °F (28.00 °C) | | |
| Vapour pressure | : 26.69 hPa (26.69 hPa) Note: Calculated | | |
| Relative density (20 °C) | : 0.9850 - 0.9950 | | |

SECTION 10. STABILITY AND REACTIVITY

| Conditions to avoid | : | Remarks: Direct sources of heat. |
|----------------------------------|---|--|
| Chemical stability | : | Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents. |
| Hazardous decomposition products | : | Note: Carbon monoxide and unidentified organic compounds may be formed during combustion. |

SECTION 11. TOXICOLOGICAL INFORMATION

| Toxicological information | | |
|---------------------------|---|---|
| Further information | : | There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations. |

Version Revision Date : 1 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730



Product

BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP)

Print Date

06/10/2020

Page 8 (9)

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information : Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging

: Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

| DOT | Proper shipping name Labels UN number Class Packing group Emergency Response Guidebook Number | : EXTRACTS, AROMATIC, LIQUID : 3 : 1169 : 3 : III : 127 |
|------|--|---|
| ΙΑΤΑ | UN number Description of the goods Class Packing group ICAO-Labels | : 1169 : EXTRACTS, AROMATIC, LIQUID : 3 : III : 3 |
| IMDG | UN number Description of the goods Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant | : 1169 : EXTRACTS, AROMATIC, LIQUID : 3 : III : 3 : F-E : S-D : no |

Version Revision Date : 1 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



BENZOIN OLIFFAC 63 DEPR 0612 (W/O DEP)

Print Date

Product

06/10/2020

Page 9 (9)

SECTION 15. REGULATORY INFORMATION

| SARA 311/312 Hazards | : | Fire Hazard Acute Health Hazard Chronic Health Hazard |
|----------------------------|---|---|
| Reportable Quantity | : | |
| HMIS Classification | : | Health hazard: 3 Chronic Health Hazard: * Flammability: 3 Physical and chemical hazards: 0 |

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 06/10/2020

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telefax: +17323352551