

Product AMBERGRIS T OLIFFAC US 0912

08/21/2019

Print Date

Page 1 (10)

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name IFF Code Cust. Material SDS Number Product Use Description	::	AMBERGRIS T OLIFFAC US 0912 30775241 30775241 300000330767 Fragrance Compound
Company	:	IFF Inc. 600 Highway 36 Hazlet NJ 07730
Telephone Telefax Emergency telephone number	: : :	(732) 264-4500 (732) 335-2551 +1 800 424 9300

## SECTION 2 HAZARDS IDENTIFICATION

### **GHS-Classification**

Flammable liquids, Category 2 Eye irritation, Category 2A

### **GHS-Labelling**

Symbol(s)

Signal word

Hazard statements



: H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation.

Version Revision Date : 1 : 08/11/2017

> IFF Inc. 600 Highway 36 Hazlet NJ 07730

IFF Inc. 600 Highway 36 Hazlet NJ 07730



# SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Page	2 (10)

Precautionary statements	<ul> <li>P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>P240: Ground/bond container and receiving equipment.</li> <li>P280: Wear eye protection/ face protection.</li> <li>P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>
	P403 + P235: Store in a well-ventilated place. Keep cool.

#### **Carcinogenicity:**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by IFF to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

### SECTION 4. FIRST AID MEASURES

#### First aid procedures

Inhalation

: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Version Revision Date : 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Page	3 (10)
T fint Dute	00/21/2019	i ugo	5 (10)

Skin contact	:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Eye contact	:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Ingestion	:	Rinse mouth with water and obtain medical advice.

## SECTION 5. FIREFIGHTING MEASURES

Flammable	properties
-----------	------------

Flash point	:	62.60 °F (17.00 °C)

### Fire fighting

Suitable extinguishing media	:	Use water spray, dry chemical, carbon dioxide or appropriate foam.	
6 6			

### Protective equipment and precautions for firefighters

Special protective equipment for	:	Wear NIOSH approved self-contained breathing apparatus and full
firefighters		protective clothing when fighting fires involving chemicals. Use
		water spray to cool containers exposed to fire.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Environmental precautions	:	Keep away from drains, surface- and groundwater and soil.
Version Revision Date		: 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730



# SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Page	4	(10)

Methods for containment / Methods for cleaning up

: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### SECTION 7. HANDLING AND STORAGE

Handling	:	Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.
		If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.
Advice on protection against fire and explosion	:	Keep away from ignition sources and naked flame.
Requirements for storage areas and containers	:	Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

Version Revision Date : 1 : 08/11/2017

> IFF Inc. 600 Highway 36 Hazlet NJ 07730



AMBERGRIS T OLIFFAC US 0912

Print Date

Product

08/21/2019

Page 5 (10)

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	Listed by	Value type	Exposure limit(s)
Ethanol	USA. ACGIH Threshold Limit Values (TLV)	Short-term exposure limit	1,000 ppm
Ethanol	USA. NIOSH Recommended Exposure Limits	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek	1,000 ppm 1,900 mg/m3
Ethanol	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	8-hour time weighted average	1,000 ppm 1,900 mg/m3
Ethanol	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	8-hour time weighted average	1,000 ppm 1,900 mg/m3

### **Engineering measures**

Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material

#### Personal protective equipment

Eye protection	: Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Hand protection	: Avoid skin contact. Use chemically resistant gloves.
Respiratory protection	: Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured.

Version Revision Date : 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730


Telephone: +17322644500



# SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Page	6 (10)



Version Revision Date : 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730



# SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Daga	7 (10)
Thit Date	00/21/2019	1 age	/ (10)

the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration  $\geq 1.0\%$  due to an intentional addition by IFF, the

chemical(s) will be identified in this safety data sheet.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Physical state Appearance Colour	: liquid : CLEAR LIQUID : pale yellow
Odour	: conforms to standard
Safety data	
Flash point	: 62.60 °F (17.00 °C)
Vapour pressure	: 52.27 hPa (52.27 hPa) Note: Calculated
Relative density (20 °C)	: 0.8090 - 0.8190

## SECTION 10. STABILITY AND REACTIVITY

Version Revision Date : 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



# SAFETY DATA SHEET INTERNATIONAL FLAVORS & FRAGRANCES

AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Page 8 (10)
I fint Date	00/21/2019	1 age 0 (10)

Conditions to avoid	: Remarks: Direct sources of heat.
Chemical stability	: Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
Hazardous decomposition products	: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### **Toxicological information**

Further information : There is no data available for this product. The health hazards are assessed based on the ingredients in this preparation and their concentrations.

## SECTION 12. ECOLOGICAL INFORMATION

#### **Ecological information**

Additional ecological information : Avoid contamination of soil, ground and surface water.

## SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

Version	
Revision Date	

: 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500

Telefax: +17323352551



Product AMBERGRIS T OLIFFAC US 0912

08/21/2019

Print Date

Page 9 (10)

## SECTION 14. TRANSPORT INFORMATION

DOT	Proper shipping name Labels UN number Class Packing group Emergency Response Guidebook Number	: EXTRACTS, AROMATIC, LIQUID : 3 : 1169 : 3 : II : 127
DOT NON-BU	LK Proper shipping name	: EXTRACTS, AROMATIC, LIQUID
	Labels UN number Class Packing group Emergency Response Guidebook Number	: 3 : 1169 : 3 : II : 127
ΙΑΤΑ	UN number Description of the goods Class Packing group ICAO-Labels	: 1169 : EXTRACTS, AROMATIC, LIQUID : 3 : II : 3
IMDG	UN number Description of the goods Class Packing group IMDG-Labels EmSNumber 1 EmSNumber 2 Marine pollutant	: 1169 : EXTRACTS, AROMATIC, LIQUID : 3 : II : 3 : F-E : S-D : no

Version Revision Date : 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730

Telephone: +17322644500



Product AMBERGRIS T OLIFFAC US 0912

Print Date	08/21/2019	Page	10 (10)

## SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
Reportable Quantity	:	
HMIS Classification	:	Health hazard: 2 Chronic Health Hazard: / Flammability: 3 Physical and chemical hazards: 0

## SECTION 16. OTHER INFORMATION

### **Further information**

The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond IFF control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.

Version Revision Date : 1 : 08/11/2017

IFF Inc. 600 Highway 36 Hazlet NJ 07730 IFF Inc. 600 Highway 36 Hazlet NJ 07730